

# MasterBrace 1444 PART B

Version 1.0	Revision Date: 02.02.2023	SDS Number: 000000264787	Date of last issue: - Date of first issue: 02.02.2023
SECTION	I 1. PRODUCT AND C	OMPANY IDENTIFIC	CATION
Prod	uct name	: MasterBrace	1444 PART B
Prod	uct code	: 0000000000	50641330
Man	ufacturer or supplier's	s details	
Com	pany	: MB Solutions	Australia Pty Ltd
Addr	ess	: 11 Stanton R NSW 2147	oad, Seven Hills
Telep	phone	: +611300227	300
Eme	rgency telephone	: ChemTel: +1	-813-248-0585; Australia: 1-300-954-583
Reco	ommended use of the	chemical and restr	ictions on use
Reco	mmended use	: Product for c	onstruction chemicals

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Acute toxicity (Oral)	:	Category 4
Acute toxicity (inhalation (dust/mist/fume))	:	Category 4
Acute toxicity (Dermal)	:	Category 4
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Skin sensitization	:	Category 1
Hazardous to the aquatic environment - acute hazard	:	Category 3
Hazardous to the aquatic environment - chronic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger



# MasterBrace 1444 PART B

Version 1.0	Revision Date: 02.02.2023	SDS Number: 000000264787	Date of last issue: - Date of first issue: 02.02.2023
Haza	rd Statements	H332 Harmful i H302 Harmful i H317 May caus H314 Causes s H402 Harmful t	f swallowed. se an allergic skin reaction. severe skin burns and eye damage.
Preca	autionary Statements	tion/ face prote P271 Use only P260 Do not br P261 Avoid bre P273 Avoid rele P272 Contamir the workplace. P270 Do not ea	outdoors or in a well-ventilated area. eathe dusts or mists.
		cian. P305 + P351 + for several mini- easy to do. Cor P304 + P340 IF keep comfortab P303 + P361 + ly all contamina P301 + P330 + induce vomiting	FINHALED: Remove person to fresh air and ble for breathing. P353 IF ON SKIN (or hair): Take off immediate- ted clothing. Rinse skin with water/ shower. P331 IF SWALLOWED: Rinse mouth. Do NOT g. ake off immediately all contaminated clothing
		<b>Storage:</b> P405 Store loci	ked up.
		<b>Disposal:</b> P501 Dispose of waste collection	of contents/container to appropriate hazardous n point.

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	polymeric amine aliphatic modified



# MasterBrace 1444 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2023	00000264787	Date of first issue: 02.02.2023

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Salicylic acid	69-72-7	>= 7 -< 10
Benzyl alcohol	100-51-6	>= 20 -< 25
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 50 -< 75

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Information, i.e. additional information on symptoms and ef- fects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Notes to physician	:	Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black
Specific extinguishing meth-	:	The degree of risk is governed by the burning substance and



# MasterBrace 1444 PART B

Versi 1.0	ion	Revision Date: 02.02.2023		9S Number: 0000264787	Date of last issue: - Date of first issue: 02.02.2023
	ods			Collect contamina allow to reach sev	keep containers cool by spraying with water. ted extinguishing water separately, do not vage or effluent systems. inguishing water must be disposed of in
	Special for fire-		:	Wear a self-conta	ined breathing apparatus.
SEC	TION 6	ACCIDENTAL RELE	ASI	EMEASURES	
	tive equ	al precautions, protec- lipment and emer- procedures	:	Wear eye/face pro Use personal prot	ective clothing. Ince with good building materials hygiene
	Environ	mental precautions	:		ated water/firefighting water. into drains/surface waters/groundwater.
		s and materials for ment and cleaning up	:		ble appliance and dispose of. The material in accordance with regulations.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
Advice on safe handling	:	Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.
Hygiene measures	:	<ul> <li>When using, do not eat, drink or smoke.</li> <li>Hands and/or face should be washed before breaks and at the end of the shift.</li> <li>At the end of the shift the skin should be cleaned and skincare agents applied.</li> <li>Gloves must be inspected regularly and prior to each use.</li> <li>Replace if necessary (e.g. pinhole leaks).</li> </ul>
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Recommended storage tem- perature	:	> 5 - 35 °C
Packaging material	:	Suitable material: tinned carbon steel (Tinplate), High density polyethylene (HDPE)



# MasterBrace 1444 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2023	000000264787	Date of first issue: 02.02.2023

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.				
Personal protective equipm	ent				
Respiratory protection	:	Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).			
Hand protection					
Remarks	:	impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.			
Eye protection	:	Safety glasses with side-shields (frame goggles) (e.g. EN 166)			
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.			
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	yellowish
Odor	:	ammonia-like
Odor Threshold	:	not determined
рН	:	11
Boiling point	:	>= 200 °C
Flash point	:	> 150 °C
Density	:	0,98 g/cm3 (20 °C) Not applicable



# MasterBrace 1444 PART B

Ver 1.0	rsion	Revision Date: 02.02.2023		S Number: 0000264787	Date of last issue: - Date of first issue: 02.02.2023
		ter solubility	:	emulsifiable (20	
	octano	on coefficient: n- I/water nition temperature	:	not applicable fo	
	-	position temperature	:		n if stored and handled as pre-
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	not fire-propagat	ing
	Metal o	corrosion rate	:	No data available	Э.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.


### Serious eye damage/eye irritation

Causes serious eye damage.



# MasterBrace 1444 PART B

ersion )	Revision Date: 02.02.2023	SDS Number: 000000264787	Date of last issue: - Date of first issue: 02.02.2023
Resp	iratory or skin sensitiz	ation	
Skin	sensitization		
May o	cause an allergic skin rea	action.	
•	iratory sensitization		
NOT C	lassified based on availa	ble information.	
Chro	nic toxicity		
Germ	cell mutagenicity		
Not c	lassified based on availa	ble information.	
	nogenicity	h la infanceation	
	lassified based on availa	ble information.	
-	oductive toxicity lassified based on availa	ble information.	
	-single exposure		
	lassified based on availa	ble information.	
STO	-repeated exposure		
Not c	lassified based on availa	ble information.	
-	ation toxicity		
	lassified based on availa	ble information.	
Furth	er information		
Prod			
Rema	arks	No data is avai	are not known or expected under normal use. lable on the product itself. en is based on data on the ingredients and the milar products.
CTION	12. ECOLOGICAL INFO	ORMATION	
Ecoto	oxicity		
Prod	uct:		
	oxicology Assessment		
Acute	aquatic toxicity	: Harmful to aqu	atic life.
Chror	nic aquatic toxicity	: Harmful to aqu	atic life with long lasting effects.
Persi	stence and degradabil	ity	
Prod	uct:		
Biode	gradability	ingredients, the	ng into consideration the properties of several product is estimated not to be readily biode- ding to OECD classification.





Version 1.0	Revision Date: 02.02.2023		0S Number: 0000264787	Date of last issue: - Date of first issue: 02.02.2023
Bio	accumulative potential			
	duct:		Demerke: Circlifie	
BIOS	accumulation		expected.	ant accumulation in organisms is not to be
Mot	bility in soil			
Pro	duct:			
	ribution among environ- tal compartments	:		ng exposure to soil, adsorption to solid soil ole, therefore contamination of groundwater
Oth	er adverse effects			
Pro	duct:			
	ults of PBT and vPvB essment	:	the PBT (persiste	oduct does not contain a substance fulfilling nt/bioaccumulative/toxic) criteria or the vPvB ery bioaccumulative) criteria.
Ozo	ne-Depletion Potential	:		oduct does not contain substances that are on (EC) 1005/2009 on substances that de- over.
Add mat	itional ecological infor- ion	:	The product shou open waters. Do not release un The product has r	or aquatic organisms. Id not be allowed to reach either ground or treated into natural waters. not been tested. The statements on ecotoxi- derived from the properties of the individual

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

### SECTION 14. TRANSPORT INFORMATION

### International Regulations

IATA-I	DGR
UN/ID	No.

: UN 2289



# MasterBrace 1444 PART B

Versio 1.0	n	Revision Date: 02.02.2023		OS Number: 0000264787	Date of last issue: - Date of first issue: 02.02.2023
C P L P a P	Class Packing abels Packing ircraft	g instruction (passen-	: : : : : : : : : : : : : : : : : : : :	Isophoronediami 8 III Corrosives 856 852	ne
U	<b>MDG-(</b> JN nur Proper		-	UN 2289 ISOPHORONED	IAMINE Mixture
P L E	abels mS C	g group ode pollutant	:	8 III 8 F-A, S-B no	
	-	ort in bulk according	-		OL 73/78 and the IBC Code
D	omes	tic regulation			
А	SIA_F	ROAD			

ASIA_KUAD	
UN number	: UN 2289
Proper shipping name	: ISOPHORONEDIAMINE
Class	: 8
Packing group	: 111
Labels	: 8
Hazchem Code	: 2X

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5 If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The ingredients of this prod	uct	are reported in the following inventories:
AIIC	:	On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

Revision Date	:	02.02.2023
Date format	:	dd.mm.yyyy



## MasterBrace 1444 PART B

Version	Revision Date:	SDS Number:
1.0	02.02.2023	000000264787

Date of last issue: -Date of first issue: 02.02.2023

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN