

# MasterBrace 4000 PART A

Version 1.0	Revision Date: 17.02.2023		S Number: 000516610	Date of last issue: - Date of first issue: 17.02.2023				
SECTIO	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION							
Product name		:	MasterBrace 4000 PART A					
Proc	duct code	:	00000000050	699683				
<b>Manufacturer or supplier's de</b> Company				Australia Pty Ltd				
Address		:	11 Stanton Road, Seven Hills NSW 2147					
Tele	ephone	:	+61130022730	00				
Eme	ergency telephone	:	ChemTel: +1-8	13-248-0585; Australia: 1-300-954-583				
	ommended use of the ommended use			tions on use nstruction chemicals				
Res	trictions on use	:	Reserved for ir	ndustrial and professional use.				

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Skin corrosion/irritation	: Category 2
Serious eye damage/eye irri- tation	: Category 2A
Skin sensitization	: Category 1
Short-term (acute) aquatic hazard	: Category 2
Long-term (chronic) aquatic hazard	: Category 2
GHS label elements Hazard pictograms	
Signal Word	: Warning
Hazard Statements	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>



## MasterBrace 4000 PART A

Version 1.0	Revision Date: 17.02.2023	SDS Number: 000000516610	Date of last issue: - Date of first issue: 17.02.2023
Precautionary Statements		P264 Wash ski P272 Contamir the workplace. P273 Avoid rele	eathing mist or vapors. n thoroughly after handling. nated work clothing should not be allowed out of ease to the environment. tective gloves/ eye protection/ face protection.
		P305 + P351 + for several min easy to do. Con P333 + P313 If vice/ attention. P337 + P313 If tention.	skin irritation or rash occurs: Get medical ad- eye irritation persists: Get medical advice/ at- ake off contaminated clothing and wash it before
		<b>Disposal:</b> P501 Dispose d disposal plant.	of contents/ container to an approved waste

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: epoxy resin

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Alkyl (C12-C14) glycidyl ether	68609-97-2	>= 7 -< 10
Reaction product: bisphenol-A-(epichlorhydrin)-	25068-38-6	>= 25 -< 50
Epoxy resin (number average molecular weight		
<= 700)		

### SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used.



Version 1.0	Revision Date: 17.02.2023		DS Number: 00000516610	Date of last issue: - Date of first issue: 17.02.2023	
			If irritation develo	ps, seek medical attention.	
In ca	ase of eye contact	:		res for at least 15 minutes under running s held open, consult an eye specialist.	
If swallowed		:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do NOT induce vomiting.		
	t important symptoms effects, both acute and yed	:	Causes skin irrita May cause an all Causes serious e	ergic skin reaction.	
Note	es to physician	:	Treat symptomat	ically.	

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Specific extinguishing meth- ods	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water.



Version 1.0	Revision Date: 17.02.2023	-	OS Number: 0000516610	Date of last issue: - Date of first issue: 17.02.2023
			Do not dischar	ge into drains/surface waters/groundwater.
	Methods and materials for containment and cleaning up		pumping) for di Pick up with ine	buld be collected mechanically (remove by sposal. ert absorbent material (e.g. sand, earth etc.). se of recovered product immediately.
SECTIC	ON 7. HANDLING AND ST	OR	AGE	
	vice on protection against and explosion	:	Product is not e	explosive.
Ad	vice on safe handling	:	Avoid skin cont	n of mists/vapours.
Hy	giene measures	:	Hands and/or f end of the shift At the end of th care agents ap Gloves must be	e shift the skin should be cleaned and skin-
	rther information on stor- e conditions	:		e original container in a cool, dry, well- e away from ignition sources, heat or flame. rect sunlight.
Ма	terials to avoid	:	Observe TRGS	509/510 storage rules.
	commended storage tem- rature	:	5 - 35 °C	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL
crystalline silica	14808-60-7	TWA (Res- pirable dust)	0,05 mg/m3	AU OEL
		ation: Category	1A (Carc. 1A) Known	to have car-
		TWA (Res- pirable par- ticulate mat- ter)	0,025 mg/m3 (Silica)	ACGIH



# MasterBrace 4000 PART A

Version 1.0	Revision Date: 17.02.2023		S Number: 000516610	Date of last issue: - Date of first issue: 17.02.2023	
Perso	onal protective equip	ment			
Resp	Respiratory protection		: Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Ty ABEK).		
Hand	protection				
R	emarks		directions for use versity of types. S based on tests, lit facturers or are de Due to many conce ered, that the prace in practice may be determined throug Suitable materials ommended: Prote of permeation time - 0.7 mm coating the coating thickness Suitable materials least protective in meation time acco 0.7 mm coating the	t protective gloves (EN 374) Manufacturer's should be observed because of great di- upplementary note: The specifications are erature data and information of glove manu- erived from similar substances by analogy. ditions (e.g. temperature) it must be consid- ctical usage of a chemical-protective glove e much shorter than the permeation time gh testing. also with prolonged, direct contact (Rec- ective index 6, corresponding > 480 minutes e according to EN 374): butyl rubber (butyl) thickness fluoroelastomer (FKM) - 0.7 mm a for short-term contact (recommended: At dex 2, corresponding > 30 minutes of per- ording to EN 374) polyvinylchloride (PVC) - ickness chloroprene rubber (CR) - 0.5 mm nitrile rubber (NBR) - 0.4 mm coating thick-	
Eye p	protection		Safety glasses wit 166)	th side-shields (frame goggles) (e.g. EN	
Skin	and body protection		possible exposure	nust be chosen depending on activity and e, e.g. apron, protecting boots, chemical- cording to EN 14605 in case of splashes or case of dust).	
Prote	ctive measures		Avoid contact with Avoid exposure - Handle in accorda and safety practic	es/vapours/aerosols. In the skin, eyes and clothing. In the skin skin skin skin skin skin skin skin	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
------------	---	-------

Color	:	beige
-------	---	-------



# MasterBrace 4000 PART A

Vers 1.0	ion	Revision Date: 17.02.2023		S Number: 0000516610	Date of last issue: - Date of first issue: 17.02.2023
	Odor		:	characteristic	
	Odor Th	hreshold	:	not determined	
	рН		:	Not applicable	
	Melting	point/freezing point	:	No data available	)
	Boiling	point	:	> 220 °C	
	Flash p	oint	:	Not applicable	
	Evapora	ation rate	:	No data available	)
	Flamma	ability (solid, gas)	:	not flammable	
	Self-ign	ition	:	not self-igniting	
		explosion limit / Upper bility limit	:	Not applicable	
		explosion limit / Lower bility limit	:	Not applicable	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	1,37 - 1,4 g/cm3	(20 °C)
	Bulk de	nsity	:	1.300 - 1.400 kg/	m3 (20 °C)
	Solubili Wate	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	)
	Partition octanol	n coefficient: n- /water	:	not applicable for	mixtures
	Autoign	ition temperature	:	No data available	)
	Decom	position temperature	:	No decomposition scribed/indicated	n if stored and handled as pre-
	Viscosit Visc	ty osity, dynamic	:	Not applicable	
	Visc	osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	



## MasterBrace 4000 PART A

Vers 1.0	sion	Revision Date: 17.02.2023		S Number: 0000516610	Date of last issue: - Date of first issue: 17.02.2023
				Not explosive	
	Oxidizi	ng properties	:	not fire-propagat	ing
	Self-he	ating substances	:	It is not a substa	nce capable of spontaneous heating.
	Metal c	corrosion rate	:	No corrosive effe	ct on metal.
SEC	CTION 1	0. STABILITY AND RE	EAC	ΤΙVΙΤΥ	
	Reactiv	vity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-
	Chemi	cal stability	:	The product is st scribed/indicated	able if stored and handled as pre-
	Possib tions	ility of hazardous reac-	:	The product is st scribed/indicated	able if stored and handled as pre-
	Conditi	ons to avoid	:	See SDS section	7 - Handling and storage.
	Incomp	patible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	•
	Hazarc produc	lous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.



ersion 0	Revision Date: 17.02.2023	SDS Number: 000000516610	Date of last issue: - Date of first issue: 17.02.2023
Chro	nic toxicity		
	<b>cell mutagenicity</b> lassified based on availa	ble information.	
	<b>nogenicity</b> lassified based on availa	ble information.	
•	oductive toxicity lassified based on availa	ble information.	
	<b>F-single exposure</b> lassified based on availa	ble information.	
	<b>F-repeated exposure</b> lassified based on availa	ble information.	
-	ration toxicity lassified based on availa	ble information.	
Furth	er information		
<u>Prode</u> Rema		The product ha	are not known or expected under normal use as not been tested. The statements on toxicolo derived from the properties of the individual
ECTION	12. ECOLOGICAL INFO	ORMATION	
Ecoto	oxicity		
Prod	uct:		
	exicology Assessment	: Toxic to aquati	c life.
Chror	nic aquatic toxicity	: Toxic to aquati	c life with long lasting effects.
Persi	stence and degradabili	ity	
<u>Prode</u> Biode	<u>uct:</u> gradability	ingredients, the	ng into consideration the properties of severa e product is estimated not to be readily biode- ding to OECD classification.
Stabil	ity in water		product is slightly soluble in water. It can be n water by abiotic processes.
Bioad	ccumulative potential		
Prod	uct:		

Bioaccumulation : Remarks: Because of the product's consistency and low water solubility, bioavailability is improbable.



Version 1.0	Revision Date: 17.02.2023	SDS Number: 000000516610	Date of last issue: - Date of first issue: 17.02.2023
Mobi	lity in soil		
Prod	uct:		
	bution among environ- al compartments	phere from t Following ex	ne substance will not evaporate into the atmos- ne water surface. posure to soil, adsorption to solid soil particles is erefore contamination of groundwater is not ex-
Othe	r adverse effects		
Prod	<u>uct:</u>		
Addit matic	ional ecological infor- on	The product	arge product into the environment without control. has not been tested. The statements on ecotoxi- been derived from the properties of the individual
SECTION	13. DISPOSAL CONSI	DERATIONS	
Disp	osal methods		
Wast	e from residues	· Observe nat	ional and local legal requirements

Waste from residues	:	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL-A-EPICHLORHYDRIN RESINS M <=700)
Class	:	9
Subsidiary risk	:	EHSM
Packing group	:	III
Labels	:	Miscellaneous Dangerous Goods, Environmentally hazardous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(BISPHENOL-A-EPICHLORHYDRIN RESINS M <=700)
Class	:	9
		9 / 11



Version 1.0	Revision Date: 17.02.2023	SDS Number: 000000516610	Date of last issue: - Date of first issue: 17.02.2023
Packi Label EmS	-	: EHSM : III : 9 (EHSM) : F-A, S-F : yes	
	port in bulk accordin	-	RPOL 73/78 and the IBC Code
Dome	estic regulation		
UN ni	_ <b>ROAD</b> umber r shipping name	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID,
Packi Label	diary risk ng group	(BISPHENOL : 9 : EHSM : III : 9 (EHSM) : •3Z	-A-EPICHLORHYDRIN RESINS M <=700)

### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

The ingredients of this	product are reported	I in the following inventories:
The ingredients of this	product are reported	

AIIC

: Not in compliance with the inventory, Low volume exemption

### **SECTION 16. OTHER INFORMATION**

Revision Date : 17.02.2023

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH AU OEL	USA. ACGIH Threshold Limit Values (TLV) Australia. Workplace Exposure Standards for Airborne Con- taminants.
ACGIH / TWA AU OEL / TWA	8-hour, time-weighted average Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.02.2023	000000516610	Date of first issue: 17.02.2023

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN