# MasterBrace 4500 PART B



Version **Revision Date:** SDS Number: Date of last issue: -

02.02.2023 000000264787 Date of first issue: 02.02.2023 1.0

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : MasterBrace 4500 PART B

Product code 000000000050264052

Manufacturer or supplier's details

Company MB Solutions Australia Pty Ltd

Address 11 Stanton Road, Seven Hills

NSW 2147

Telephone +611300227300

ChemTel: +1-813-248-0585; Australia: 1-300-954-583 Emergency telephone

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) Category 4

Acute toxicity (inhalation

(dust/mist/fume))

Category 4

Acute toxicity (Dermal) Category 4

Skin corrosion Category 1B

Serious eye damage Category 1

Skin sensitization Category 1

Hazardous to the aquatic

environment - acute hazard

Category 3

Hazardous to the aquatic

environment - chronic hazard

Category 3

**GHS** label elements

Hazard pictograms



Signal Word Danger

# MasterBrace 4500 PART B



Version **Revision Date:** SDS Number: Date of last issue: -

02.02.2023 000000264787 Date of first issue: 02.02.2023 1.0

Hazard Statements H312 Harmful in contact with skin.

> H332 Harmful if inhaled. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

### Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dusts or mists.

P261 Avoid breathing mist.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling.

### Response:

P310 Immediately call a POISON CENTER or doctor/ physi-

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P301 + P330 + P331 IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

# Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Chemical nature polymeric amine

> aliphatic modified





Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Salicylic acid	69-72-7	>= 7 -< 10
Benzyl alcohol	100-51-6	>= 20 -< 25
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 50 -< 75

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety.

Immediately remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air.

If symptoms persist, seek medical advice.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms and effects, both acute and

delayed

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available

in Section 2 and in the Toxicological assessments available in

Section 11.

Notes to physician : Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Foam

Water spray Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

water jet

Hazardous combustion prod: :

ucts

fumes/smoke harmful vapours

Carbon oxides nitrogen oxides carbon black

Specific extinguishing meth- : The degree of

The degree of risk is governed by the burning substance and

# MasterBrace 4500 PART B



Version **Revision Date:** SDS Number: Date of last issue: -

000000264787 Date of first issue: 02.02.2023 1.0 02.02.2023

ods the fire conditions.

> If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emergency procedures

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Wear eye/face protection.

Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

**Environmental precautions** Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

The product is neither self-ignitable, nor an explosion hazard,

nor does it promote fires.

Avoid inhalation of dusts/mists/vapours. Advice on safe handling

Avoid skin contact.

Ensure adequate ventilation.

No special measures necessary provided product is used

correctly.

Hygiene measures When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at the

end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight.

Recommended storage tem: :

perature

> 5 - 35 °C

Packaging material Suitable material: tinned carbon steel (Tinplate), High density

polyethylene (HDPE)

# MasterBrace 4500 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate.

Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type

ABEK).

Hand protection

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's

directions for use should be observed because of great di-

versity of types.

Eye protection : Safety glasses with side-shields (frame goggles) (e.g. EN

166)

Skin and body protection : Body protection must be chosen based on level of activity

and exposure.

Protective measures : Do not inhale dust/fumes/aerosols.

Avoid contact with the skin, eyes and clothing.

Avoid exposure.

Handle in accordance with good building materials hygiene

and safety practice.

Wearing of closed work clothing is recommended.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : yellowish

Odor : ammonia-like

Odor Threshold : not determined

pH : 11

Boiling point :  $>= 200 \, ^{\circ}\text{C}$ 

Flash point :  $> 150 \, ^{\circ}\text{C}$ 

Density : 0,98 g/cm3 (20 °C)

Not applicable

# MasterBrace 4500 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

Solubility(ies)

Water solubility : emulsifiable (20 °C)

Partition coefficient: n-

octanol/water

: not applicable for mixtures

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Metal corrosion rate : No data available.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

The product is stable if stored and handled as pre-

scribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents Strong reducing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Harmful if swallowed, in contact with skin or if inhaled.

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

# Serious eye damage/eye irritation

Causes serious eye damage.

# MasterBrace 4500 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

# Respiratory sensitization

Not classified based on available information.

# **Chronic toxicity**

# Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

# **Aspiration toxicity**

Not classified based on available information.

### **Further information**

### **Product:**

Remarks : Health injuries are not known or expected under normal use.

No data is available on the product itself.

Information given is based on data on the ingredients and the

toxicology of similar products.

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

### **Product:**

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Persistence and degradability

# **Product:**

Biodegradability : Remarks: Taking into consideration the properties of several

ingredients, the product is estimated not to be readily biode-

gradable according to OECD classification.

# MasterBrace 4500 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

### Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Significant accumulation in organisms is not to be

expected.

Mobility in soil

**Product:** 

Distribution among environ-

mental compartments

Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater

is not expected.

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

Remarks: The product does not contain a substance fulfilling

the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB

(very persistent/very bioaccumulative) criteria.

Ozone-Depletion Potential : Remarks: The product does not contain substances that are

listed in Regulation (EC) 1005/2009 on substances that de-

plete the ozone layer.

Additional ecological infor-

mation

Acutely harmful for aquatic organisms.

The product should not be allowed to reach either ground or

open waters.

Do not release untreated into natural waters.

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Observe national and local legal requirements.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**IATA-DGR** 

UN/ID No. : UN 2289





Version Revision Date: SDS Number: Date of last issue: -

856

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

Proper shipping name : Isophoronediamine

Class : 8 Packing group : III

Labels : Corrosives

Packing instruction (cargo

aircraft)

Packing instruction (passen: 852

ger aircraft)

**IMDG-Code** 

UN number : UN 2289

Proper shipping name : ISOPHORONEDIAMINE Mixture

Class : 8
Packing group : III
Labels : 8

EmS Code : F-A, S-B Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**ASIA ROAD** 

UN number : UN 2289

Proper shipping name : ISOPHORONEDIAMINE

Class : 8
Packing group : III
Labels : 8
Hazchem Code : 2X

**SECTION 15. REGULATORY INFORMATION** 

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5 If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

**SECTION 16. OTHER INFORMATION** 

Revision Date : 02.02.2023

Date format : dd.mm.yyyy





Version Revision Date: SDS Number: Date of last issue: -

1.0 02.02.2023 000000264787 Date of first issue: 02.02.2023

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN