

MasterRoc MG 46

Version 1.1	Revision Date: 07.12.2023	SDS Numb 000000704			
SECTION	1. PRODUCT AND C	OMPANY IDE	NTIFICATION		
Produ	Product name		rRoc MG 46		
Produ	Product code		0000059300041		
Manu	Manufacturer or supplier's details				
Com	pany	: MB Sc	olutions Australia Pty Ltd		
Addre	ess	: 11 Sta NSW	inton Road, Seven Hills 2147		
Telep	bhone	: +6113	00227300		
Emer	gency telephone	: Chem	Tel: +1-813-248-0585; Australia: 1-300-954-583		
Reco	ommended use of the	chemical and	d restrictions on use		
Reco	mmended use	: Produc	ct for construction chemicals		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri-	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary Statements	:	Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

MasterRoc MG 46



Version 1.1	Revision Date: 07.12.2023	SDS Number: 000000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023
		P280 Wear pr	otective gloves/ eye protection/ face protection.
		Response:	
		P304 + P340 and keep com doctor if you fe P305 + P351 water for seve and easy to do CENTER/ doo P332 + P313 tion.	+ P338 + P310 IF IN EYES: Rinse cautiously with ral minutes. Remove contact lenses, if present b. Continue rinsing. Immediately call a POISON
		Storage:	
	P403 + P233 tightly closed. P405 Store lo	Store in a well-ventilated place. Keep container cked up.	
		Disposal:	
		P501 Dispose disposal plant	of contents/ container to an approved waste
Othe	r hazards which do	not result in classifica	ation

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 30 -< 60
Calcium sulphate	7778-18-9	>= 10 -< 30
Limestone	1317-65-3	< 10
Sulfuric acid, calcium salt (1:1)	10101-41-4	< 10

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Remove contaminated clothing.
If inhaled	:	After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used.



MasterRoc MG 46

Version 1.1	Revision Date: 07.12.2023		DS Number: 00000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023	
In an				ps, seek medical attention.	
In case of eye contact				es for at least 15 minutes under running s held open, consult an eye specialist.	
If swallowed		:	Immediately rinse mouth and then drink 200-300 ml of water seek medical attention. Do not induce vomiting unless told to by a poison control cer ter or doctor.		
	important symptoms ffects, both acute and ed	:	Causes skin irrita Causes serious e May cause respir	ye damage.	
Notes	s to physician	:	Treat symptomat	cally.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2) Product itself is non-combustible. Only the packaging materi- als can catch fire. The extinguishing agents normally used are sufficient.
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	Product is not combustible or explosive. No particular hazards known.
Specific extinguishing meth- ods	:	Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Do not discharge into drains/surface waters/groundwater.
Methods and materials for	:	Sweep/shovel up.



MasterRoc MG 46

Version 1.1	Revision Date: 07.12.2023		DS Number: 00000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023	
conta	ainment and cleaning up		Keep in suitable,	closed containers for disposal.	
SECTION 7. HANDLING AND STORAGE					
	Advice on protection against fire and explosion		No special precautions necessary.		
Advid	Advice on safe handling		Avoid dust formation. Avoid inhalation of dusts. Avoid contact with skin and eyes. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irrita- tion of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are de- canted without local exhaust ventilation.		
Hygi	Hygiene measures		 When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and end of the shift. At the end of the shift the skin should be cleaned and ski care agents applied. Gloves must be inspected regularly and prior to each use Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean be re-use or dispose it if necessary. 		
	er information on stor- conditions	:	Containers should	d be stored tightly sealed in a dry place.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Calcium sulphate	7778-18-9	TWA	10 mg/m3	AU OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3 (Calcium)	ACGIH
Limestone	1317-65-3	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL
Sulfuric acid, calcium salt (1:1)	10101-41-4	TWA	10 mg/m3	AU OEL



MasterRoc MG 46

Version 1.1	Version Revision Date: 1.1 07.12.2023		DS Number: 00000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023				
				TWA (Inhal- able particu- late matter)	10 mg/m3 (Calcium)	ACGIH		
Ре	rsonal protective equipr	nent						
Re	spiratory protection	:	Breathing prot	Breathing protection if dusts are formed.				
	Filter type	:		vith medium effic 143 or 149, Type	ciency for solid and li e P2 or FFP2)	quid parti-		
На	nd protection							
	Remarks	:	nitrile coated of	cotton gloves (e.	g. EN 388, 374)			
Ey	e protection	:	Safety glasses	s with side-shiel	ds.			
Sk	in and body protection	:	Body protection and exposure light protective		en based on level of	activity		
Pro	otective measures	:	Avoid inhalation In order to pre working clothe	on of dusts. event contaminat es and working g ordance with go	ves and clothing. tion while handling, c gloves should be use od building materials	d.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	dark gray
Odor	:	characteristic
Odor Threshold	:	Not determined due to potential health hazard by inhalation.
рН	:	11 (20 °C)
Melting point	:	No data available
Boiling point	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	not flammable
Self-ignition	:	not self-igniting



MasterRoc MG 46

Vers 1.1	sion	Revision Date: 07.12.2023		S Number: 0000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023
		explosion limit / Upper bility limit	:	knowledge of its	experience with this product and our composition we do not expect any hazard as act is used appropriately and in accordance use.
flammability limit knowledge long as the		knowledge of its	experience with this product and our composition we do not expect any hazard as act is used appropriately and in accordance use.		
	Vapor p	ressure	:	No data available)
	Relative	e density	:	No data available	9
	Density		:	3,2 g/cm3 (23 °C)
	Bulk de	nsity	:	1.500 - 2.000 kg/	m3 (23 °C)
	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	
	Partitior octanol/	n coefficient: n- /water	:	No data available	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosit Visc	y osity, kinematic	:	No data available)
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	g properties	:	not fire-propagati	ng
	Metal co	prrosion rate	:	No corrosive effe	ct on metal.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Conditions to avoid		See SDS section 7 - Handling and storage.
Incompatible materials	:	No substances known that should be avoided.



MasterRoc MG 46

Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
1.1	07.12.2023	000000704095	Date of first issue: 25.01.2023
Haza produ	rdous decomposition	: No hazardous as prescribed/	decomposition products if stored and handled indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.



MasterRoc MG 46

ersion 1	Revision Date: 07.12.2023		0S Number: 0000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023
ECTION	12. ECOLOGICAL INF	ORM	IATION	
Ecote	oxicity			
Prod	uct:			
	oxicology Assessment e aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chror	nic aquatic toxicity	:	This product has	no known ecotoxicological effects.
Persi	stence and degradabil	ity		
<u>Prod</u> Biode	<u>uct:</u> egradability	:	Remarks: Not app	blicable for inorganic substances.
Bioa	ccumulative potential			
<u>Prod</u> Bioac	<u>uct:</u> ccumulation	:		oduct will not be readily bioavailable due to ad insolubility in water.
Mobi	lity in soil			
Prod	uct:			
	bution among environ- al compartments	:	particles is probal is not expected.	ng exposure to soil, adsorption to solid soil ole, therefore contamination of groundwater Il not evaporate into the atmosphere from
Othe	r adverse effects			
Prod	uct:			
Additi matio	ional ecological infor- n	:	The product has r	product into the environment without control. not been tested. The statements on ecotoxi- derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		Observe national and local legal requirements.
Waste from residues :		Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Completely emptied packagings can be given for recycling.

MasterRoc MG 46



Version 1.1	Revision Date: 07.12.2023	-	DS Number: 0000704095	Date of last issue: 25.01.2023 Date of first issue: 25.01.2023
SECTIO	N 14. TRANSPORT INFO	ORM	ATION	
Inte	ernational Regulations			
UN	RTDG			
UN	number	:	Not applicable	
Pro	per shipping name	:	Not applicable	
Cla		:	Not applicable	
Sub	osidiary risk	:	Not applicable	
Pac	cking group	:	Not applicable	
Lab	oels	:	Not applicable	
IAT	A-DGR			
UN	/ID No.	:	Not applicable	
Pro	per shipping name	:	Not applicable	
Cla		:	Not applicable	
Sub	osidiary risk	:	Not applicable	
Pac	cking group	:	Not applicable	
Lab	bels	:	Not applicable	
	cking instruction (cargo craft)	:	Not applicable	
	cking instruction (passen- aircraft)	:	Not applicable	
IME	DG-Code			
UN	number	:	Not applicable	
Pro	per shipping name	:	Not applicable	
Cla		:	Not applicable	
C. Ik	odion (riol		Not oppliaable	

Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ASIA	ROAD	
I IN ni	ımher	

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

MasterRoc MG 46



Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023	
1.1	07.12.2023	000000704095	Date of first issue: 25.01.2023	
Prohi	bition/Licensing Requi	rements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.	no- of

The ingredients of this product are reported in the following inventories:

AIIC

: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	:	07.12.2023

Date format	:	dd.mm.yyyy
	-	

Full text of other abbreviations

ACGIH	 USA. ACGIH Threshold Limit Values (TLV) Australia. Workplace Exposure Standards for Airborne Con-
AU OEL	taminants.
ACGIH / TWA	: 8-hour, time-weighted average

ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



MasterRoc MG 46

Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
1.1	07.12.2023	000000704095	Date of first issue: 25.01.2023

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN