MasterCast 630S



| Vers 3.0 | sion | Revision Date: 08/15/2023 | | 0S Number: 0000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|-------------|--------------------------|------------------------------|------|----------------------------------|---|
| SEC | TION 1 | IDENTIFICATION | | | |
| | Produc | t name | : | MasterCast 630S | |
| | Produc | t code | : | 0000000005145 | 3713 00000000051453713 |
| | Other n | neans of identification | : | No data available | |
| | Manufa | acturer or supplier's o | deta | ils | |
| | Company name of supplier | | : | Master Builders S | olutions Canada Inc. |
| | Addres | S | : | 1800 CLARK BLV Brampton ON L6 | - |
| | Emerge | ency telephone | : | ChemTel: +1-813 | -248-0585; |
| | | l Emergency Tele- Number | : | USA: +1-800-25 | 5-3924 ChemTel contract no. MIS9240420 |
| | Recom | mended use of the c | hen | nical and restriction | ons on use |
| | Recom | mended use | : | Product for constr | uction chemicals |
| | Restric | tions on use | : | Reserved for indu | strial and professional use. |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

| Skin corrosion/irritation | : | Category 2 |
|---|---|---------------------------------|
| Serious eye damage/eye irritation | : | Category 1 |
| Skin sensitization | : | Category 1 |
| Short-term (acute) aquatic hazard | : | Category 3 |
| Long-term (chronic) aquatic hazard | : | Category 3 |
| GHS label elements Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | H318 Causes serious eye damage. |



| ersion 0 | Revision Date: 08/15/2023 | SDS Number: 000000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|-------------|------------------------------|--|--|
| | | H402 Harmful t | se an allergic skin reaction. |
| Preca | utionary Statements | face protection. P261 Avoid bre P273 Avoid rele P272 Contamir the workplace. | tective gloves/ protective clothing/ eye protection eathing dust/ fume/ gas/ mist/ vapors/ spray. ease to the environment. hated work clothing should not be allowed out of ee, hands and any exposed skin thoroughly after |
| | | for several minu to do. Continue P302 + P352 IF P362 + P364 T reuse. | P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. F ON SKIN: Wash with plenty of water. ake off contaminated clothing and wash it before ely call a POISON CENTER or doctor/ physician |
| | | Disposal: P501 Dispose of waste collection | of contents/container to appropriate hazardous |

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No data available.

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|---|---|-------------|-----------------------|
| Poly(oxy-1,2- ethanediyl), .alpha(4- nonylphenyl)omega hydroxy-,branched | Poly(oxy-1,2- ethanediyl), α- (4-nonylphenyl)- ω-hydroxy-, branched | 127087-87-0 | >= 5 - < 7 |
| Benzenesulfonic acid, C10-16-alkyl derivs. | Benzenesulfonic acid, C10-16- alkyl derivs. | 68584-22-5 | >= 1 - < 3 |
| rosin | Rosin | 8050-09-7 | >= 0.2 - < 0.3 |
| Sodium hydroxide | Caustic soda | 1310-73-2 | >= 0.2 - < 0.3 |

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.



| Version 3.0 | Revision Date: 08/15/2023 | | DS Number: 00000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 | |
|----------------|--|---|---|--|--|
| | | | ance. | an. Il safety data sheet to the doctor in attend- victim unattended. | |
| If inhaled | | : | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. | | |
| In ca | In case of skin contact | | If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. | | |
| In ca | In case of eye contact | | Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plen of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | | |
| lf sw | rallowed | : | Keep respiratory Do NOT induce v Do not give milk o Never give anythi If symptoms persi | | |
| | t important symptoms effects, both acute and yed | : | Causes skin irrita May cause an alle Causes serious e | ergic skin reaction. | |
| Note | es to physician | : | Treat symptomati | cally. | |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Water spray Foam Dry powder Carbon dioxide (CO2) |
|---------------------------------------|---|---|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

Revision Date:

SDS Number:



Date of last issue: 07/28/2023

MasterCast 630S

Version

|) | 08/15/2023 | - | 0000244137 | Date of first issue: 01/09/2023 |
|--------|--|-----|--|--|
| | al protective equipment e-fighters | : | Wear self-conta essary. | ained breathing apparatus for firefighting if nec- |
| ECTION | 6. ACCIDENTAL RELE | ASI | E MEASURES | |
| tive e | nal precautions, protec- quipment and emer- / procedures | : | Use personal p | rotective equipment. |
| Enviro | onmental precautions | : | Prevent further | t from entering drains. leakage or spillage if safe to do so. ontaminates rivers and lakes or drains inform orities. |
| | ods and materials for inment and cleaning up | : | acid binder, uni | acid. ert absorbent material (e.g. sand, silica gel, versal binder, sawdust). e, closed containers for disposal. |
| ECTION | 7. HANDLING AND ST | OR/ | AGE | |
| | e on protection against nd explosion | : | Product is not e | explosive. |
| | | | Normal measu | es for preventive fire protection. |
| Advic | e on safe handling | : | Avoid contact w For personal pr Smoking, eatin plication area. To avoid spills Dispose of rins regulations. Persons susce allergies, chron | vapors/dust. a - obtain special instructions before use. with skin and eyes. rotection see section 8. g and drinking should be prohibited in the ap- during handling keep bottle on a metal tray. e water in accordance with local and national ptible to skin sensitization problems or asthma ic or recurrent respiratory disease should not any process in which this mixture is being |
| Cond | itions for safe storage | : | place. Containers whi kept upright to Electrical instal | tightly closed in a dry and well-ventilated ch are opened must be carefully resealed and prevent leakage. lations / working materials must comply with al safety standards. |
| | er information on stor- onditions | : | | e original container in a cool, dry, well- e away from ignition sources, heat or flame. ect sunlight. |
| Mator | ials to avoid | | Observe TRGS | 509/510 storage rules. |



MasterCast 630S

| Vers 3.0 | ion | Revision Date: 08/15/2023 | | 0S Number: 0000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|-------------|-----------------|--------------------------------|---|--------------------------|---|
| | Recom | mended storage tem- e | : | 0 °C | |
| | Further age sta | information on stor- bility | : | Minimum storage | temperature: |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|------------------|-----------|-------------------------------------|--|-----------|
| Sodium hydroxide | 1310-73-2 | (c) | 2 mg/m3 | CA AB OEL |
| | | (C) | 2 mg/m3 | CA AB OEL |
| | | С | 2 mg/m3 | CA BC OEL |
| | | С | 2 mg/m3 | CA BC OEL |
| | | С | 2 mg/m3 | CA QC OEL |
| | | С | 2 mg/m3 | CA QC OEL |
| | | С | 2 mg/m3 | ACGIH |
| | | С | 2 mg/m3 | ACGIH |
| rosin | 8050-09-7 | REL value | 0.1 mg/m3 (formaldehyde) | NIOSH |

| Engineering measures | : | No applicable information available. |
|----------------------|---|--------------------------------------|
|----------------------|---|--------------------------------------|

| Personal | protective | equipment |
|----------|------------|-----------|
|----------|------------|-----------|

| Respiratory protection | : | Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection. |
|--------------------------|---|--|
| Hand protection | | |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : | Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | : | Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place. |
| Protective measures | : | Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. |
| Hygiene measures | : | When using do not eat or drink. |



| Version 3.0 | Revision Date: 08/15/2023 | | S Number: 0000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|----------------|--|------|-------------------------------------|---|
| | | | When using do no Wash hands befo | ot smoke. re breaks and at the end of workday. |
| SECTION | 9. PHYSICAL AND CH | EMIC | | S |
| Арре | earance | : | liquid | |
| Colo | r | : | brown | |
| Odor | | : | odorless | |
| Odor | Threshold | : | No data available | e |
| pН | | : | approx. 11.5 - 12 | 2.5 (25 °C) |
| Free | zing point | : | approx2 °C | |
| Melti | ng point | | No applicable inf | ormation available. |
| Boilir | ng point | : | 105 °C | |
| Flash | n point | : | A flash point dete water content. | ermination is unnecessary due to the high |
| Evap | oration rate | : | not determined | |
| Flam | mability (solid, gas) | : | not flammable | |
| | er explosion limit / Upper nability limit | : | No applicable inf | ormation available. |
| Vapo | or pressure | : | No data available | e |
| Rela | tive vapor density | : | Heavier than air. | |
| Rela | tive density | : | No applicable inf | ormation available. |
| Dens | sity | : | 1.010 - 1.016 g/c | cm3 (20 °C) |
| | oility(ies) /ater solubility | : | soluble (20 °C) | |
| S | olubility in other solvents | : | No applicable inf | ormation available. |
| | tion coefficient: n- nol/water | : | No applicable inf | ormation available. |
| Auto | ignition temperature | : | not determined | |
| Deco | omposition temperature | : | No decompositio | n if stored and handled as pre- |

MasterCast 630S



| Vers 3.0 | ion | Revision Date: 08/15/2023 | | S Number: 0000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 | |
|-------------|---|------------------------------|---|---|---|--|
| | | | | scribed/indicated | | |
| | Viscosity Viscosity, dynamic | | : | not determined | | |
| | Vise | cosity, kinematic | : | No applicable information available. | | |
| | Explosive properties | | : | Not explosive Not explosive | | |
| | Oxidizi | ng properties | : | not fire-propagating | | |
| | Sublim | ation point | : | No applicable information available. | | |
| | Molecular weight | | : | No data available | | |
| SEC | SECTION 10. STABILITY AND REACTI | | | ΤΙVITY | | |
| | Reactivity | | : | No decomposition if stored and applied as directed. | | |
| | Chemical stability | | : | No decomposition if stored and applied as directed. | | |
| | Possibility of hazardous reac- tions | | : | No decomposition if stored and applied as directed. | | |
| | Conditions to avoid | | : | See SDS section 7 - Handling and storage. | | |
| | Incompatible materials | | : | Strong acids Strong bases Strong oxidizing Strong reducing | | |

products as prescribed/indicated.

Hazardous decomposition : No hazardous decomposition products if stored and handled

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

| Acute oral toxicity | : Remarks: No applicable information available. |
|---------------------------|---|
| Acute inhalation toxicity | : Remarks: No applicable information available. |
| Acute dermal toxicity | : Remarks: No applicable information available. |
| | |

Skin corrosion/irritation

Causes skin irritation.



MasterCast 630S

| Vers 3.0 | sion | Revision Date: 08/15/2023 | SDS Number: 000000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 | |
|-------------|---|------------------------------|---|---|--|
| | <u>Produ</u> | ict: | | | |
| | Remarks | | : Extremely cor | rosive and destructive to tissue. | |
| | Serio | us eye damage/eye i | rritation | | |
| | Cause | es serious eye damag | e. | | |
| | <u>Produ</u> | <u>ict:</u> | | | |
| | Rema | rks | : May cause irre | eversible eye damage. | |
| | Respi | ratory or skin sensit | tization | | |
| | Skin s | sensitization | | | |
| | May c | ause an allergic skin | reaction. | | |
| | Respi | ratory sensitization | | | |
| | Not cl | assified based on ava | ilable information. | | |
| | <u>Prodι</u> Rema | | : Causes sensit | ization. | |
| | Not cl. Carcin Not cl. Repro Not cl. STOT Not cl. STOT Not cl. Aspira Not cl. | | ilable information. ilable information. ilable information. | ıble | |
| SEC | | 12. ECOLOGICAL IN | | | |
| JLC | | | | | |
| | Ecoto | oxicity | | | |
| | <u>Produ</u> | <u>ict:</u> | | | |
| | Ecoto | xicology Assessme | nt | | |
| | Acute | aquatic toxicity | : Harmful to aqu | uatic life. | |
| | Chron | ic aquatic toxicity | : Harmful to aqu | uatic life with long lasting effects. | |



| Version 3.0 | Revision Date: 08/15/2023 | SDS Number: 000000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|----------------|---|-----------------------------------|--|
| | sistence and degradabi | lity | |
| Bio | accumulative potential data available | | |
| | bility in soil data available | | |
| Oth | er adverse effects | | |
| | <u>duct:</u> litional ecological infor- ion | unprofessional Harmful to aqua | tal hazard cannot be excluded in the event of handling or disposal. atic life. atic life with long lasting effects. |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | | |
|------------------------|--|---------|
| Waste from residues | Do not contaminate ponds, waterways or ditches with or cal or used container. Dispose of in accordance with national, state and local tions. Do not discharge into drains/surface waters/groundwat | regula- |
| Contaminated packaging | Contaminated packaging should be emptied as far as p and disposed of in the same manner as the sub- stance/product. | ossible |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:



| Version 3.0 | Revision Date: 08/15/2023 | SDS Number: 000000244137 | Date of last issue: 07/28/2023 Date of first issue: 01/09/2023 |
|----------------|------------------------------|-----------------------------|---|
| TSCA | | : All substances | listed as active on the TSCA inventory |
| DSL | | : All components | s of this product are on the Canadian DSL |

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

| Full text of other abbreviations | | | | | |
|----------------------------------|---|---|--|--|--|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) | | | |
| CA AB OEL | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) | | | |
| CA BC OEL | : | Canada. British Columbia OEL | | | |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants | | | |
| NIOSH | : | NIOSH Pocket Guide to Chemical Hazards (US) | | | |
| ACGIH / C | : | Ceiling limit | | | |
| CA AB OEL / (c) | : | ceiling occupational exposure limit | | | |
| CA BC OEL / C | : | ceiling limit | | | |
| CA QC OEL / C | : | Ceiling | | | |
| NIOSH / REL value | : | Recommended exposure limit (REL): | | | |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



MasterCast 630S

| Version | Revision Date: | SDS Number: | Date of last issue: 07/28/2023 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 08/15/2023 | 00000244137 | Date of first issue: 01/09/2023 |

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

| Revision Date | : 08/15/2023 |
|---------------|--------------|
| Date format | : mm/dd/yyyy |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN