

## MasterGlenium 3030

Vers 2.0	sion	Revision Date: 08/15/2023		0S Number: 0000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
SEC	SECTION 1. IDENTIFICATION							
	Product name		:	MasterGlenium 3	030			
	Produc	t code	:	0000000005141	00000000051411790 000000000051411790			
	Other n	neans of identification	:	No data available				
	Manufacturer or supplier's o		deta	ills				
	Compa	ny name of supplier	:	Master Builders S	olutions Canada Inc.			
	Addres	S	:	1800 CLARK BL\ Brampton ON L6	-			
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;			
		I Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420			
	Recom	mended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Product for constr	uction chemicals			
	Restric	tions on use	:	Reserved for indu	strial and professional use.			

### **SECTION 2. HAZARDS IDENTIFICATION**

Hazardous to the aquatic environment - acute hazard	:	Category 3
GHS label elements Hazard Statements	:	H402 Harmful to aquatic life.
Precautionary Statements	:	<b>Prevention:</b> P273 Avoid release to the environment.
		<b>Disposal:</b> P501 Dispose of contents/container to appropriate hazardous waste collection point.
Other hazards		

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: polycarboxylate ether in water



# MasterGlenium 3030

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000260378	Date of first issue: 01/09/2023

### Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
1,2-benzisothiazol- 3(2H)-one	1,2- benzisothia- zolin-3-one	2634-33-5	>= 0 - < 0.1
methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one (3:1)	3(2H)isothiazolo		>= 0 - < 0.1

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Foam
		Water spray
		Dry powder
		Carbon dioxide (CO2)



# MasterGlenium 3030

Vers 2.0	sion	Revision Date: 08/15/2023		DS Number: 0000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	Unsuita media	able extinguishing	:	water jet	
	Specifi fighting	c hazards during fire I	:	Do not allow run- courses.	off from fire fighting to enter drains or water
	Furthe	r information	:	must not be disch Fire residues and	ated fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.



# MasterGlenium 3030

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
Further information on stor- age conditions		ventilated pla	the original container in a cool, dry, well- ice away from ignition sources, heat or flame. direct sunlight.
	er information on stor- stability	: No decompos	sition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Ensure adequate ventilation.
<b>Personal protective equipme</b> Respiratory protection	ent :	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.
Hand protection		
Remarks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.
Eye protection	:	Wear safety glasses with side shields or goggles.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.
Hygiene measures	:	Wash hands before breaks and at the end of workday.
SECTION 9. PHYSICAL AND CHE	MIC	CAL PROPERTIES
Appearance	:	liquid

Color	: brown
Odor	: slight odour, ether-like

# MasterGlenium 3030



Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	Odor T	hreshold	:	not determined	
	рН		:	5 - 8	
	Melting	point	:	No applicable inf	ormation available.
	Freezin	g point		No applicable inf	ormation available.
	Boiling	point	:	approx. 100 °C	
	Flash p	oint	:	> 249 °C	
				Method: Standar Cleveland Open	d Test Method for Flash and Fire Points by Cup.
	Evapor	ation rate	:	No applicable inf	ormation available.
	Flamma	ability (liquids)	:	The product is no	ot flammable.
		explosion limit / Upper bility limit	:	No data available	Э.
		explosion limit / Lower bility limit	:	No data available	Э.
	Vapor p	pressure	:	No applicable inf	ormation available.
	Relative	e vapor density	:	Heavier than air.	
	Relative	e density	:	No applicable inf	ormation available.
	Density	,	:	approx. 1.05 g/cr	n3 (20 °C)
	Solubili Wat	ty(ies) er solubility	:	soluble	
	Solu	bility in other solvents	:	No applicable inf	ormation available.
	Partition octanol	n coefficient: n- /water	:	not applicable for	mixtures
	Autoigr	ition temperature	:	No data available	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi <sup>.</sup> Visc	ty sosity, dynamic	:	No applicable inf	ormation available.
	Visc	osity, kinematic	:	No applicable inf	ormation available.
	Explosi	ve properties	:	Not explosive Not explosive	

# **MasterGlenium 3030**



Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023	
	Oxidizi	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified	
	Sublim	ation point	:	No applicable information available.		
	Molecu	ular weight	:	No data available		
SEC	CTION 1	0. STABILITY AND RE	EAC	ΤΙVΙΤΥ		
	Reacti	vity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-	
	Chemical stability		:	The product is stable if stored and handled as pre- scribed/indicated.		
	Possibility of hazardous reac- : No decomposition if stored and ap tions		n if stored and applied as directed.			
	Condit	ions to avoid	:	See SDS section	7 - Handling and storage.	
	Incom	patible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	•	
	Hazaro produc	dous decomposition	:	carbon oxides		

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

#### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitization

## Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.



# MasterGlenium 3030

sion	Revision Date: 08/15/2023	-	OS Number: 0000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	cell mutagenicity			
Not cl	assified based on avail	lable	information.	
	nogenicity assified based on avail	labla	information	
	oductive toxicity	lable	mornation.	
-	assified based on avail	lable	information.	
стот	-single exposure			
Not cl	assified based on avail	lable	information.	
	-repeated exposure assified based on avail	labla	information	
		lable	mormation.	
-	ation toxicity assified based on avail	lable	information	
	er information			
Produ	uot:			
Rema		:	The product has	re not known or expected under normal use. not been tested. The statements on toxicolo-
CTION			components.	rived from the properties of the individual
	12. ECOLOGICAL INF	FORM	components.	
	oxicity	FORM	components.	
Ecoto <u>Produ</u>	oxicity	_	components.	
Ecoto <u>Produ</u> Ecoto	oxicity uct:	_	components.	
Ecoto Produ Ecoto Acute	oxicity u <u>ct:</u> oxicology Assessmen	ıt	TATION	
Ecoto Produ Ecoto Acute	oxicity uct: oxicology Assessmen aquatic toxicity	nt :	TATION	
Ecoto Produ Ecoto Acute Comp 1,2-bo	oxicity uct: oxicology Assessmen aquatic toxicity oonents:	nt : ne:	TATION	
Ecoto Produ Ecoto Acute Comp 1,2-bo M-Fao icity)	oxicity <u>uct:</u> oxicology Assessmen aquatic toxicity <u>oonents:</u> enzisothiazol-3(2H)-or ctor (Acute aquatic tox-	ne:	TATION	
Ecoto Produ Ecoto Acute <b>Comp</b> <b>1,2-b</b> M-Fac icity) mixtu	oxicity <u>uct:</u> oxicology Assessmen aquatic toxicity <u>oonents:</u> enzisothiazol-3(2H)-or ctor (Acute aquatic tox-	ne: hyl-4	TATION	tic life.
Ecoto Produ Ecoto Acute Comp 1,2-bo M-Fac icity) mixtu M-Fac icity)	<ul> <li>Districtly</li> &lt;</ul>	ne: hyl-4	The format is th	tic life.
Ecoto Produ Ecoto Acute 1,2-bo M-Fac icity) mixtu M-Fac icity)	<ul> <li>Districtly</li> &lt;</ul>	ne: hyl-4	Time ful to aquar AATION	tic life.
Ecoto Produ Ecoto Acute 1,2-bo M-Fac icity) mixtu M-Fac icity)	Districtly          Districtly	ne: hyl-4	Time ful to aquar AATION	tic life.

# MasterGlenium 3030



Version 2.0	Revision Date: 08/15/2023	-	DS Number: 00000260378	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
			gradable accordii	ng to OECD classification.
Bioac	cumulative potential			
<u>Produ</u>	<u>ct:</u>			
Bioaco	cumulation	:	Remarks: No dat Discharge into th	a available. e environment must be avoided.
Mobili	ty in soil			
No dat	a available			
Other	adverse effects			
<u>Produ</u>	<u>ct:</u>			
Addition mation	onal ecological infor- n	:		not been tested. The statements on ecotoxi- n derived from the properties of the individual

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
		Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

## **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

## UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

### TDG

Not regulated as a dangerous good



## MasterGlenium 3030

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000260378	Date of first issue: 01/09/2023

#### SECTION 15. REGULATORY INFORMATION

The ingredients of this produce	ct are reported in the following inventories:
TSCA	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
DSL	This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.

#### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen. Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date:08/15/2023Date format:mm/dd/yyyy



# MasterGlenium 3030

Version	Revision Date: 08/15/2023	SDS Number:	Date of last issue: 07/28/2023
2.0		000000260378	Date of first issue: 01/09/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN