MasterLife CI 222



Vers 3.0	sion	Revision Date: 08/15/2023		0S Number: 0000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023		
SEC	CTION 1	. IDENTIFICATION					
	Produc	t name	:	MasterLife CI 222			
	Produc	t code	:	0000000005038	00000000050380489 00000000050380489		
	Other n	neans of identification	:	No data available	No data available		
Manufacturer or supplier's o		acturer or supplier's o	deta	iils			
	Company name of supplier		:	Master Builders Solutions Canada Inc.			
	Addres	S	:	1800 CLARK BLV Brampton ON L67	-		
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;		
		al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420		
	Recom	mended use of the c	hen	nical and restriction	ons on use		
	Recom	mended use	:	Product for constr	uction chemicals		
	Restric	tions on use	:	Reserved for indu	strial and professional use.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin corrosion/irritation		Category 1B
Serious eye damage/eye irritation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Short-term (acute) aquatic hazard		Category 3
GHS label elements		
Hazard pictograms		
Signal Word	:	Danger
Hazard Statements	:	H335 May cause respiratory irritation. H314 Causes severe skin burns and eye damage. H402 Harmful to aquatic life.
		1 / 12

MasterLife CI 222



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023			
Preca	utionary Statements	Prevention: P280 Wear face protecti P271 Use of P260 Do no P273 Avoid	protective gloves/ protective clothing/ eye protection			
		for several n to do. Contir P303 + P36 all contamin P304 + P34 keep comfor P301 + P33 induce vomi P363 Wash	1 + P353 IF ON SKIN (or hair): Take off immediately ated clothing. Rinse skin with water/ shower. 0 IF INHALED: Remove person to fresh air and table for breathing. 0 + P331 IF SWALLOWED: Rinse mouth. Do NOT			
		tightly close	Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.			
		Disposal: P501 Dispos waste collec	se of contents/container to appropriate hazardous tion point.			
•	hazards known.					
	3. COMPOSITION/I ance / Mixture	NFORMATION ON II	NGREDIENTS			

Chemical nature : No data available.

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
2-aminoethanol	Ethanol, 2- amino-	141-43-5	>= 15 - < 20
Butyl oleate	9-Octadecenoic acid (Z)-, butyl ester	142-77-8	>= 15 - < 20
1,2-benzisothiazol- 3(2H)-one	1,2- benzisothia- zolin-3-one	2634-33-5	>= 0 - < 0.1



MasterLife CI 222

Version 3.0	Revision Date: 08/15/2023	SDS Number: 00000025235	Date of last issue: 07/28/2023 7 Date of first issue: 01/24/2023				
SECTION	4. FIRST AID MEASU	JRES					
Gene	General advice		ersonnel should pay attention to their own safety. ly remove contaminated clothing.				
lf inh	aled		Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.				
In ca	In case of skin contact		In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.				
In ca	se of eye contact	for at least Remove co Keep eye Seek medi	contact, immediately flush eyes with plenty of water 15 minutes. ontact lenses. wide open while rinsing. cal advice. tion persists, consult a specialist.				
lf swa	If swallowed		ly rinse mouth and then drink 200-300 ml of water, cal attention. uce vomiting unless told to by a poison control cen- or.				
	important symptoms effects, both acute and /ed	fects may	n, i.e. additional information on symptoms and ef- be included in the GHS labeling phrases available 2 and in the Toxicological assessments available in				
Note	s to physician	: Treat symp	otomatically.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	nitrogen oxides corrosive gases/vapours fumes/smoke carbon oxides carbon black
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in



Vers 3.0	ion	Revision Date: 08/15/2023		0S Number: 0000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023		
				accordance with c	fficial regulations.		
Special protective equipment : for fire-fighters				Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.			
SEC	TION 6.	ACCIDENTAL RELE	ASE	E MEASURES			
	Personal precautions, protec- tive equipment and emer- gency procedures		:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.			
	Environ	mental precautions	:		ated water/firefighting water. into drains/surface waters/groundwater.		
		s and materials for ment and cleaning up	:	acid binder, unive	absorbent material (e.g. sand, silica gel, rsal binder, sawdust). ble appliance and dispose of.		

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	 Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Materials to avoid	:	Observe TRGS 509/510 storage rules.
Recommended storage tem- perature	:	0°C



MasterLife CI 222

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	000000252357	Date of first issue: 01/24/2023

Further information on stor- : Minimum storage temperature: age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
2-aminoethanol	141-43-5	STEL	6 ppm	CA AB OEL
			15 mg/m3	
		TWA	3 ppm	CA AB OEL
			7.5 mg/m3	
		TWA	3 ppm	CA BC OEL
		STEL	6 ppm	CA BC OEL
		TWAEV	3 ppm	CA QC OEL
			7.5 mg/m3	
		STEV	6 ppm	CA QC OEL
			15 mg/m3	
		TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH

Engineering measures : No applicable information available.

Personal protective equipmer	Personal protective equipment					
Respiratory protection :	Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) respirator as neces- sary.					
Hand protection						
Remarks	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.					
Eye protection :	Tightly fitting safety goggles (chemical goggles).					
Skin and body protection	Body protection must be chosen based on level of activity and exposure.					
Protective measures :	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.					
Hygiene measures	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-					
	5/12					



Version 3.0	Revision Date: 08/15/2023		S Number: 0000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
				ed. hspected regularly and prior to each use. sary (e.g. pinhole leaks).
SECTION	9. PHYSICAL AND CH	EMIC		8
Appe	arance	:	liquid	
Color		:	white	
Odor		:	mild	
Odor	Threshold	:	No data available	9
рН		:	approx. 11.0 - 11	.6
Meltir	ng point	:	No applicable inf	ormation available.
Freez	zing point		No applicable inf	ormation available.
Boilin	ig point	:	approx. 100 °C (for a componen	t of this mixture)
Flash	point	:	Not applicable	
Evap	oration rate	:	not determined	
Flam	mability (liquids)	:	Not classified as	a flammability hazard
Self-i	gnition	:	not self-igniting	
	r explosion limit / Upper nability limit	:	No applicable inf	ormation available.
	r explosion limit / Lower nability limit	:	No applicable inf	ormation available.
Vapo	r pressure	:	No data available	9
Relat	ive vapor density	:	Heavier than air.	
Relat	ive density	:	No applicable inf	ormation available.
Dens	ity	:	approx. 1.018 g/	cm3 (20 °C)
			1.015 g/cm3 (50	°C)
	bility(ies) ater solubility	:	soluble (20 °C)	
So	blubility in other solvents	:	No applicable inf	ormation available.

MasterLife CI 222



Version 3.0	Revision Date: 08/15/2023		S Number: 0000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023	
	tion coefficient: n- nol/water	:	No data available	9	
Autoi	gnition temperature	:	not determined		
Decc	mposition temperature	:	No decomposition scribed/indicated	n if stored and handled as pre- l.	
Visco Vi	osity scosity, dynamic	:	not determined		
Vi	scosity, kinematic	:	No applicable inf	ormation available.	
Explo	osive properties	:	Not explosive		
Oxidi	zing properties	:	not fire-propagat	ing	
Subli	mation point	:	No applicable inf	ormation available.	
Mole	cular weight	:	No data available	9	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

MasterLife CI 222



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
Caus Serio Caus	corrosion/irritation ses severe skin burns a ous eye damage/eye i ses serious eye damag piratory or skin sensi	rritation e.	
Not o Res Not o Gerr	sensitization classified based on ava piratory sensitization classified based on ava n cell mutagenicity classified based on ava	ilable information.	
Card Not o Rep	Einogenicity classified based on ava roductive toxicity classified based on ava	ilable information.	
May STO Not o	T-single exposure cause respiratory irrita T-repeated exposure classified based on ava		
Not o	ration toxicity classified based on ava her information	ilable information.	
<u>Proc</u> Rem			as not been tested. The statement has been ne properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Components:

1,2-benzisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 1 icity)



ersion .0	Revision Date: 08/15/2023	SDS Number: 000000252357		Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
Persi	stence and degradab	oility		
Prod	uct:			
Biode	egradability	:	ingredients, the	ng into consideration the properties of several e product is estimated not to be readily biode- rding to OECD classification.
	ccumulative potentia	I		
	lity in soil ata available			
Othe	r adverse effects			
Prod	uct:			
Additi matio	ional ecological infor- n	:	The product ha	ge product into the environment without control as not been tested. The statements on ecotoxi- een derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Dispo	sal	metho	ods

Waste from residues	 Observe national and local legal requirements. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected. The use and processing of this product, or addition of other constituents, may cause it to be considered a hazardous waste. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	 Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name	:	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (2-AMINOETHANOL/ETHANOLAMINE)
Class Packing group Labels	:	8 8
IATA-DGR		



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000252357	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023	
Prop Clas Pac	king group	(2-AMINOE ⁻ : 8 : II	d, corrosive, n.o.s. FHANOL/ETHANOLAMINE)	
aircı Pac	king instruction (cargo	: Corrosives : 855 : 851		
UN Prop Clas Pac Lab	king group		QUID, CORROSIVE, N.O.S. HANOL/ETHANOLAMINE)	
Mari Trai Not	ine pollutant n sport in bulk according applicable for product as	to Annex II of M	ARPOL 73/78 and the IBC Code	
Don TD0	nestic regulation			
	number ber shipping name	: UN 2735 : AMINES, LIC	QUID, CORROSIVE, N.O.S.	

		(2-AMINOETHANOL/ETHANOLAMINE)
Class	:	8
Packing group	:	11
Labels	:	8
ERG Code	:	153
Marine pollutant	:	no

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:			
DSL	:	All components of this product are on the Canadian DSL	
TSCA	:	All substances listed as active on the TSCA inventory	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)			
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
CA BC OEL CA QC OEL	Canada. British Columbia OELQuébec. Regulation respecting occupational health and safe-			



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	000000252357	Date of first issue: 01/24/2023
ACGII CA AE CA AE CA BO CA BO CA BO	H / TWA H / STEL 3 OEL / TWA 3 OEL / STEL C OEL / TWA C OEL / STEL C OEL / TWAEV C OEL / STEV	borne contami 8-hour, time-w Short-term exp 8-hour Occupa 15-minute occu 8-hour time we short-term exp	eighted average posure limit ational exposure limit upational exposure limit eighted average osure limit I average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/15/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023	
3.0	08/15/2023	000000252357	Date of first issue: 01/24/2023	

CA / EN