# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

**SECTION 1. IDENTIFICATION** 

Product name : MasterRoc MP 650

Product code : 00000000052007723 00000000052007723

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Master Builders Solutions Canada Inc.

Address : 1800 CLARK BLVD

Brampton ON L6T 4M7

Emergency telephone : ChemTel: +1-813-248-0585;

National Emergency Tele-

phone Number

USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

**SECTION 2. HAZARDS IDENTIFICATION** 

GHS classification in accordance with the Hazardous Products Regulations

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

Category 1

Specific target organ toxicity

- single exposure

Category 3

Skin sensitization : Category 1

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

## MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

Precautionary Statements

### Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash face, hands and any exposed skin thoroughly after handling.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P362 + P364 Take off contaminated clothing and wash it before

P310 Immediately call a POISON CENTER or doctor/ physician.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

#### Other hazards

In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : modified cement mortar

### Components

| Chemical name               | Common<br>Name/Synonym                  | CAS-No.    | Concentration (% w/w) |
|-----------------------------|---|------------|-----------------------|
| Cement, portland, chemicals | Portland cement                         | 65997-15-1 | >= 75 - <= 100        |
| Calcium sulphate            | Sulfuric acid,<br>calcium salt<br>(1:1) | 7778-18-9  | >= 1 - <= 5           |
| calcium carbonate           | Carbonic acid calcium salt (1:1)        | 471-34-1   | >= 0 - <= 3           |
| calcium oxide               | quicklime                               | 1305-78-8  | >= 0 - <= 3           |





Version Revision Date: SDS Number: Date of last issue: 07/28/2023 3.0 08/15/2023 000000256584 Date of first issue: 01/24/2023

| magnesium oxide | magnesia           | 1309-48-4  | >= 0 - <= 3   |
|-----------------|--------------------|------------|---------------|
| Quartz (SiO2)   | crystalline silica | 14808-60-7 | >= 0 - <= 0.2 |

**SECTION 4. FIRST AID MEASURES** 

General advice : First aid personnel should pay attention to their own safety.

Immediately remove contaminated clothing.

If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

If inhaled : Keep patient calm, remove to fresh air, seek medical atten-

tion.

Immediately administer a corticosteroid from a con-

trolled/metered dose inhaler.

In case of skin contact : Immediately wash thoroughly with plenty of water, apply ster-

ile dressings, consult a skin specialist.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

Keep eye wide open while rinsing.

Remove contact lenses. Seek medical advice.

If eye irritation persists, consult a specialist.

If swallowed : Immediately give plenty of water (if possible charcoal slurry).

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Water spray

Foam Dry powder

Carbon dioxide (CO2)

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are

sufficient.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Further information : Product itself is non-combustible; fire extinguishing method of

surrounding areas must be considered.





Version Revision Date: SDS Number: Date of last issue: 07/28/2023 3.0 08/15/2023 000000256584 Date of first issue: 01/24/2023

The degree of risk is governed by the burning substance and

the fire conditions.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emergency procedures

Avoid dust formation.

Avoid contact with skin and eyes.

Do not inhale dusts.

Use personal protective clothing. Wear appropriate respiratory protection.

Handle in accordance with good building materials hygiene

and safety practice.

Environmental precautions : Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

Avoid dust formation.

Keep in suitable, closed containers for disposal.

Rinse with plenty of water.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

No special precautions necessary.

Advice on safe handling : Avoid dust formation.

Do NOT breathe dust because it is hazardous to respiratory

system.

Avoid contact with skin and eyes.

The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while

emptying bags into equipment.

Breathing must be protected when large quantities are de-

canted without local exhaust ventilation.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Further information on stor-

age conditions

Containers should be stored tightly sealed in a dry place.

Materials to avoid : Keep away from water.

Segregate from metals.

Segregate from acids and bases.

# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

Segregate from oxidants.

Segregate from foods and animal feeds.

Further information on stor-

age stability

No data available

Packaging material : Suitable material: High density polyethylene (HDPE)

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

| Components                  | CAS-No.    | Value type<br>(Form of<br>exposure)          | Control parameters / Permissible concentration | Basis     |
|-----------------------------|------------|--|--|-----------|
| calcium carbonate           | 471-34-1   | TWAEV (to-<br>tal dust)                      | 10 mg/m3                                       | CA QC OEL |
|                             |            | TWA  | 10 mg/m3<br>(Calcium car-<br>bonate)           | CA AB OEL |
|                             |            | TWA (Total dust)                             | 10 mg/m3                                       | CA BC OEL |
|                             |            | TWA (respirable dust fraction)               | 3 mg/m3  | CA BC OEL |
|                             |            | STEL   | 20 mg/m3                                       | CA BC OEL |
| calcium oxide               | 1305-78-8  | TWA  | 2 mg/m3  | CA AB OEL |
|                             |            | TWA  | 2 mg/m3  | CA BC OEL |
|                             |            | TWAEV  | 2 mg/m3  | CA QC OEL |
|                             |            | TWA  | 2 mg/m3  | ACGIH     |
| magnesium oxide             | 1309-48-4  | TWA<br>(Fumes)                               | 10 mg/m3                                       | CA AB OEL |
|                             |            | TWA (Inhal-<br>able fume)                    | 10 mg/m3<br>(Magnesium)                        | CA BC OEL |
|                             |            | TWA (Res-<br>pirable dust<br>and fume)       | 3 mg/m3<br>(Magnesium)                         | CA BC OEL |
|                             |            | STEL (Respirable dust and fume)              | 10 mg/m3<br>(Magnesium)                        | CA BC OEL |
|                             |            | TWAEV (in-<br>halable dust)                  | 10 mg/m3                                       | CA QC OEL |
|                             |            | TWA (Inhal-<br>able particu-<br>late matter) | 10 mg/m3                                       | ACGIH     |
| Calcium sulphate            | 7778-18-9  | TWA (Inhal-<br>able)                         | 10 mg/m3                                       | CA BC OEL |
|                             |            | TWA  | 10 mg/m3<br>(Calcium)                          | CA AB OEL |
|                             |            | TWA (Inhal-<br>able particu-<br>late matter) | 10 mg/m3<br>(Calcium)                          | ACGIH     |
| Cement, portland, chemicals | 65997-15-1 | TWA  | 10 mg/m3                                       | CA AB OEL |





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

| TWA (Respirable)                    | 1 mg/m3 | CA BC OEL |
|-------------------------------------|---------|-----------|
| TWAEV<br>(respirable<br>dust)       | 1 mg/m3 | CA QC OEL |
| TWA (Respirable particulate matter) | 1 mg/m3 | ACGIH     |

**Engineering measures** : Provide local exhaust ventilation to maintain recommended

P.E.L.

Personal protective equipment

Respiratory protection : Wear appropriate certified respirator when exposure limits

may be exceeded.

Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection

Remarks : Chemical resistant protective gloves. Manufacturer's direc-

tions for use should be observed because of great diversity of

types.

Eye protection : Tightly fitting safety goggles (chemical goggles).

Skin and body protection : Body protection must be chosen based on level of activity

and exposure.

Protective measures : Do not inhale vapours or dust.

Avoid contact with the skin, eyes and clothing.

In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene

and safety practice.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : particles

Color : gray

Odor : odorless

Odor Threshold : Not determined due to potential health hazard by inhalation.

pH : approx. 12 - 13 (20 °C)

# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

(as aqueous suspension)

Melting point : No applicable information available.

Freezing point No applicable information available.

boiling temperature : No data available

Flash point : No data available

Evaporation rate : The product is a non-volatile solid.

Flammability (solid, gas) : not flammable

Upper explosion limit / Upper

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : No data available

Relative vapor density : The product is a non-volatile solid.

Relative density : No applicable information available.

Density : No data available

Bulk density : approx. 2,800 - 3,200 kg/m3

Solubility(ies)

Water solubility : dispersible (20 °C)

Solubility in other solvents : No applicable information available.

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, kinematic : No applicable information available.

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Self-heating substances : No data available

# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

Sublimation point : No applicable information available.

Molecular weight : No data available

Metal corrosion rate : No corrosive effect on metal.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong bases

Strong acids

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Remarks: No applicable information available.

Acute inhalation toxicity : Remarks: No applicable information available.

Acute dermal toxicity : Remarks: No applicable information available.

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitization

## Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

Not classified based on available information.

#### **Product:**

Remarks : Chromate in this product has been reduced. Sensitization due

## MasterRoc MP 650



Version Revision Date: SDS Number: Date of last issue: 07/28/2023 3.0 08/15/2023 000000256584 Date of first issue: 01/24/2023

to chromate within stated shelf-live is unlikely.

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

### **Product:**

Skin contact : Remarks: In combination with water, repeated or prolonged

dermal exposure can cause moderate to severe alkali burns.

#### **Further information**

**Product:** 

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Product:**

# **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Not applicable for inorganic substances.

The product is slightly soluble in water. It can be eliminated

from water by abiotic processes.

# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

#### Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: The product will not be readily bioavailable due to

its consistency and insolubility in water.

Mobility in soil

**Product:** 

Distribution among environ-

mental compartments

Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater

is not expected.

The substance will not evaporate into the atmosphere from

the water surface.

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Remarks: The product does not contain substances that are

listed in Regulation (EC) 1005/2009 on substances that de-

plete the ozone layer.

Additional ecological infor-

mation

The product gives rise to pH shifts.

The product has not been tested. The statements on ecotoxi-

cology have been derived from the properties of the individual

components.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

# MasterRoc MP 650



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**TDG** 

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada, British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA BC OEL / STEL : short-term exposure limit

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 3.0
 08/15/2023
 000000256584
 Date of first issue: 01/24/2023

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/15/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN