

MEYCO MP 355 1K DW

Vers 3.0	sion	Revision Date: 08/15/2023		0S Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
SEC	TION 1				
	Produc	t name	:	MEYCO MP 355	1K DW
	Produc	t code	:	0000000005070	1529 00000000050701529
	Other n	neans of identification	:	No data available	
	Manufacturer or supplier's o			ills	
	Company name of supplier		:	Master Builders S	olutions Canada Inc.
	Addres	5	:	1800 CLARK BL\ Brampton ON L6	-
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;
		l Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420
	Recommended use of the c			nical and restriction	ons on use
	Recom	mended use	:	Product for constr	uction chemicals
	Restrict	ions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation - vapour)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 2A
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1B
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Olfactory organs)

GHS label elements

MEYCO MP 355 1K DW



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
Hazaı	rd pictograms		
Signa	l Word	: Danger	
Hazaı	rd Statements	H315 Causes s H332 Harmful i H334 May caus culties if inhale H317 May caus H373 May caus peated exposu H335 May caus	f inhaled. se allergy or asthma symptoms or breathing diffi- d. se an allergic skin reaction. se damage to organs through prolonged or re-
Preca	utionary Statements	face protection P271 Use only P260 Do not by P201 Obtain sp P202 Do not ha and understood P284 In case of tion. P272 Contamin the workplace.	outdoors or in a well-ventilated area. eathe dusts or mists. becial instructions before use. andle until all safety precautions have been read
		CENTER/ doct P305 + P351 + for several min to do. Continue P304 + P340 II keep comfortal P314 Get medi P302 + P352 II P332 + P313 If tion. P362 + P364 T reuse. P337 + P313 If tion. Storage:	 P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy erinsing. FINHALED: Remove person to fresh air and oble for breathing. cal advice/ attention if you feel unwell. FON SKIN: Wash with plenty of water. skin irritation occurs: Get medical advice/ atten- Take off contaminated clothing and wash it before eye irritation persists: Get medical advice/ atten-

MEYCO MP 355 1K DW



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	000000350161	Date of first issue: 01/24/2023

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards

Contains isocyanates. Inhalation of isocyanate mists or vapors may cause respiratory irritation, breathlessness, chest discomfort and reduced pulmonary function. Overexposure well above the PEL may result in bronchitis, bronchial spasms and pulmonary edema. Animal tests indicate that skin contact may play a role in causing respiratory sensitization.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Aromatic isocyanates

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Diphenylmethane-4,4'- diisocyanate (MDI)	MDI	101-68-8	>= 25 - < 50
diphenylmethane-2,4'- diisocyanate	Benzene, 1- isocyanato-2- [(4- isocya- na- to- phenyl)methyl]-	5873-54-1	>= 10 - < 50
2,2'-Methylenediphenyl diisocyanate	Benzene, 1,1'- methylenebis[2- isocyanato-	2536-05-2	>= 0.3 - < 3

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen-

MEYCO MP 355 1K DW



Vers 3.0	sion	Revision Date: 08/15/2023		DS Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
	and eff delaye	nportant symptoms ects, both acute and d to physician	:	fects may be inclu	dditional information on symptoms and ef- ided in the GHS labeling phrases available in the Toxicological assessments available in cally.
SEC	TION 5	. FIRE-FIGHTING ME	ASL	JRES	
	Suitabl	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (0	:02)
	Unsuita media	able extinguishing	:	water jet	
	Hazarc ucts	lous combustion prod-	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black	
	Further	rinformation	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not vage or effluent systems. inguishing water must be disposed of in official regulations.
		l protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : The product is neither self-ignitable, nor an explosion hazard,

MEYCO MP 355 1K DW



Version 3.0	Revision Date: 08/15/2023		DS Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
fire an	d explosion		nor does it promo	te fires.
Advice	e on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. Provide sufficient Dispose of rinse v regulations. Persons susceptia allergies, chronic	apors/dust. obtain special instructions before use.
Condit	tions for safe storage	:	place. Observe label pre	ions / working materials must comply with
	er information on stor- onditions	:		priginal container in a cool, dry, well- way from ignition sources, heat or flame. tt sunlight.
Recon peratu	nmended storage tem- ire	:	5 - 35 °C	
Furthe age st	er information on stor- ability	:	PROTECT FROM (BELOW 40°F / 5	1 FREEZING DURING THE COLD-SEASON °C).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Benzene, 1,3- diisocyanatomethyl-	26471-62-5	TWAEV	0.005 ppm 0.036 mg/m3	CA QC OEL
		STEV	0.02 ppm 0.14 mg/m3	CA QC OEL
		TWA	0.005 ppm 0.04 mg/m3	CA AB OEL
		(c)	0.02 ppm 0.1 mg/m3	CA AB OEL
		TWA	0.005 ppm	CA ON OEL
		С	0.02 ppm	CA ON OEL
		TWA (Inhal- able fraction	0.001 ppm	ACGIH



MEYCO MP 355 1K DW

sion	Revision Date: 08/15/2023	SDS Number: 000000350161		st issue: 07/28/2023 st issue: 01/24/2023	
1		I		1	ĺ
			and vapor)	0.005	
			STEL (Inhal-	0.005 ppm	ACGIH
			able fraction		
Carbo	n monoxide	630-08-0	and vapor) TWA value	25 ppm	ACGIHTLV
Carbo	IT MONOXIDE	030-08-0	TWA value	25 ppm	ACGITTEV
			REL value	35 ppm 40 mg/m3	NIOSH
			Ceil_Time	200 ppm 229 mg/m3	NIOSH
			PEL	50 ppm	29 CFR
				55 mg/m3	1910.1000 (Table Z-1)
			TWA value	35 ppm	29 CFR
				40 mg/m3	1910.1000 (Table Z-1-
			CLV	200 ppm 229 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA	25 ppm 29 mg/m3	CA AB OE
			TWA	25 ppm	CA BC OE
			STEL	100 ppm	CA BC OE
			TWAEV	35 ppm	CA QC OE
				40 mg/m3	
			STEV	200 ppm 230 mg/m3	CA QC OE
			TWA	25 ppm	ACGIH
		74-90-8	(c)	4.7 ppm 5.2 mg/m3	CA AB OE
			С	(Cyanide)	CA BC OE
			C	4.7 ppm (Cyanide)	
			С	10 ppm	CA QC OE
				11 mg/m3	
			-	(Cyanide)	
			С	4.7 ppm (Cyanide)	ACGIH
Engin	eering measures	: Ensure adeq	uate ventilation.		
Perso	nal protective equip	oment			
Respi	ratory protection	: Wear approp	riate certified res	spirator when exposi	ure limits
·		may be exce			
Hand	protection				
Re	marks			gloves. Manufacture ved because of grea	
	rotection	· Moor opfots	alooooo with oid	e shields or goggles.	

MEYCO MP 355 1K DW



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
Skin a	and body protection	: Body protection and exposure.	n must be chosen based on level of activity
Protec	ctive measures	Avoid contact v Avoid exposure Handle in acco and safety prac	rdance with good building materials hygiene
Hygie	ne measures	Hands and/or fa the end of the s At the end of th care agents ap Gloves must be	e shift the skin should be cleaned and skin-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	aromatic
Odor Threshold	:	not determined
рН	:	8 - 9
Melting point	:	No data available
Freezing point		No data available
Boiling point	:	No data available
Flash point	:	> 130 °C
		Method: Flashpoint test using closed cup, determination of flashpoint.
Evaporation rate	:	not determined
Flammability (liquids)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

MEYCO MP 355 1K DW



Ver 3.0	rsion	Revision Date: 08/15/2023		S Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
	Vapor	pressure	:	No data available	
	Relativ	e vapor density	:	not determined	
	Relativ	e density	:	No data available)
	Density	/	:	approx. 1.16 g/cr	n3 (20 °C)
	Bulk de	ensity	:	Not applicable	
	Solubil Wat	ity(ies) ter solubility	:	partly soluble	
	Solu	ubility in other solvents	:	No data available)
	Partitio octano	n coefficient: n- I/water	:	not applicable for	mixtures
	Autoig	nition temperature	:	No data available	9
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ity cosity, dynamic	:	approx. 700 mPa	.s (23 °C)
	Viso	cosity, kinematic	:	No data available)
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	not fire-propagati	ng
	Sublim	ation point	:	No data available)
	Molecu	ılar weight	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	Reacts with water, with formation of carbon dioxide. Risk of bursting. Reacts with alcohols. Reacts with acids. Reacts with alkalies. Reacts with amines. Risk of exothermic reaction. Risk of violent reaction.



MEYCO MP 355 1K DW

Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
		ness of the s strength.	merization. certain rubbers and plastics can cause brittle- substance/product with subsequent loss in is chemically stable.
Cond	itions to avoid	: Avoid moist	ure.
		See SDS se	ction 7 - Handling and storage.
Incon	npatible materials	: Water Alcohols Strong base Substances	s /products that react with isocyanates.
Haza produ	rdous decomposition Icts	: nitrogen oxio Aromatic isc gases/vapou	ocyanates
SECTION	11. TOXICOLOGICAL	INFORMATION	

Acute toxicity

Harmful if inhaled.

Product:

Acute inhalation toxicity : ATE: 11.4 mg/l Remarks: Determined for vapor

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.



MEYCO MP 355 1K DW

ersion 0	Revision Date: 08/15/2023		9S Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023	
	T-repeated exposure				
May	cause damage to organs	thr	ough prolonged or	repeated exposure.	
-	iration toxicity classified based on availa	ble	information		
	her information	010			
Proc	duct:				
	<u>Product:</u> Remarks :		The product has	e not known or expected under normal use. not been tested. The statements on toxicolo ived from the properties of the individual	
ECTION	N 12. ECOLOGICAL INFO	DRN	IATION		
Eco	toxicity				
Proc	duct:				
Eco	toxicology Assessment				
Acut	e aquatic toxicity	:	This product has no known ecotoxicological effects.		
Chro	onic aquatic toxicity	:	This product has no known ecotoxicological effects.		
Pers	sistence and degradabili	ity			
Proc	duct:				
Biod	legradability	:	ingredients, the p	into consideration the properties of several roduct is estimated not to be readily biodeng to OECD classification.	
Bioa	accumulative potential				
Proc	duct:				
Bioa	ccumulation	:	Remarks: No data Discharge into the	a available. e environment must be avoided.	
	ility in soil lata available				
Othe	er adverse effects				
	<u>duct:</u> itional ecological infor- on	:	The product has	product into the environment without controned to the environment without controned to the tested. The statements on ecotoxin derived from the properties of the individuation of	

MEYCO MP 355 1K DW



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
SECTION	13. DISPOSAL CON	SIDERATIONS	
Disp	osal methods		
Wast	e from residues	tions. Do not dischar	ccordance with national, state and local regula- ge into drains/surface waters/groundwater. inate ponds, waterways or ditches with chemi- ntainer.
Conta	aminated packaging		packaging should be emptied as far as possible of in the same manner as the sub-

stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
,	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR
1)		1910.1000





ACGIH : USA. ACGIH Threshold Limit Values (TLV) ACGIHTLV : American Conference of Governmental Industrial Hygienists - threshold limit values (US) CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) CA BC OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) CA ON OEL : Conada. British Columbia OEL CA QC OEL : Ontario Table of Occupational Health and Safety Act. CA QC OEL : Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants NIOSH : NIOSH Pocket Guide to Chemical Hazards (US) 29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 20 CFR 1910.1000 (Tabl	Version 3.0	Revision Date: 08/15/2023		DS Number: 0000350161	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023		
ACGIHTLV : American Conference of Governmental Industrial Hygienists - threshold limit values (US) CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) CA BC OEL : Canada. British Columbia OEL CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act. CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants NIOSH : NIOSH Pocket Guide to Chemical Hazards (US) 29 CFR 1910.1000 (Table Z- : Ceiling Limit Value: 1-A) / CLV : Permissible exposure limit 29 CFR 1910.1000 (Table Z- : Time Weighted Average (TWA): 1-A) / TWA value : Shour, time-weighted average 29 CFR 1910.1000 (Table Z- : Permissible exposure limit 1) / PEL : Shour, time-weighted average ACGIH / TWA : 8-hour, time-weighted average ACGIH / TWA : 8-hour occupational exposure limit CA AB OEL / (c) : ceiling limit CA AB OEL / TWA : 8-hour occupational exposure limit CA AB OEL / TWA : 8-hour time weighted average CA AB OEL / TWA : 8-hour time weighted average CA B OEL / C : ceiling Li							
threshold limit values (US) CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) CA BC OEL : Canada. British Columbia OEL CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act. CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants NIOSH : NIOSH Pocket Guide to Chemical Hazards (US) 29 CFR 1910.1000 (Table Z- : Ceiling Limit Value: 1-A) / TWA value : Permissible exposure values for airborne contaminants 1/-A) / TWA value : NIOSH Pocket Guide to Chemical Hazards (US) 29 CFR 1910.1000 (Table Z- : Ceiling Limit Value: 1-A) / TWA value : Permissible exposure limit 1) / PEL : Short-term exposure limit ACGIH / TWA : 8-hour, time-weighted average ACGIH / TWA value : Time Weighted Average (TWA): CA AB OEL / TWA : 8-hour dime weighted average ACGIH / TWA : 8-hour dime weighted average CA B OEL / TWA : 8-hour dime w			:				
2: OEL)CA BC OELCA ON OELCA ON OELCA QC OEL / TWACA QC OEL / TWA<	ACGI	HTLV	:				
CA BC OEL : Canada. British Columbia OEL CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act. CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants NIOSH : NIOSH Pocket Guide to Chemical Hazards (US) 29 CFR 1910.1000 (Table Z-1-A) / CLV : Ceiling Limit Value: 1-A) / TWA value : Time Weighted Average (TWA): 29 CFR 1910.1000 (Table Z-2- : Permissible exposure limit 1) / PEL : Short-term exposure limit ACGIH / TWA : 8-hour, time-weighted average ACGIH / TWA : Short-term exposure limit ACGIH / C : Ceiling limit ACGIH / C : Ceiling iccupational exposure limit CA AB OEL / TWA : 8-hour time weighted average CA AB OEL / TWA : 8-hour time weighted average CA AB OEL / TWA : 8-hour time weighted average CA AB OEL / C : ceiling limit CA AB OEL / TWA : 8-hour time weighted average <t< td=""><td>CA A</td><td>BOEL</td><td>:</td><td colspan="3">Canada. Alberta, Occupational Health and Safety Code (t</td></t<>	CA A	BOEL	:	Canada. Alberta, Occupational Health and Safety Code (t			
the Occupational Health and Safety Act.CA QC OEL: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminantsNIOSH:: NIOSH Pocket Guide to Chemical Hazards (US)29 CFR 1910.1000 (Table Z- 1-A) / CLV: Ceiling Limit Value:29 CFR 1910.1000 (Table Z- 1-A) / TWA value: Time Weighted Average (TWA):29 CFR 1910.1000 (Table Z- 1-A) / TWA value: Permissible exposure limit1) / PEL: Short-term exposure limitACGIH / TWA: 8-hour, time-weighted averageACGIH / TWA: 8-hour, time-weighted averageACGIH / C: Ceiling limitCA AB OEL / WA: 8-hour occupational exposure limitCA BC OEL / TWA: 8-hour me weighted averageCA AB OEL / C: ceiling occupational exposure limitCA BC OEL / TWA: 8-hour time weighted averageCA BC OEL / TWA: ceiling limitCA BC OEL / TWA: Short-term exposure limitCA ON OEL / C: ceiling limit (C)CA ON OEL / C: Ceiling limit (C)CA ON OEL / TWA: Time-Weighted Average Limit (TWA)CA QC OEL / TWA: Short-term exposure valueCA QC OEL / TWA: Ceiling limit (C)CA ON OEL / C: Ceiling limit (TWA)CA QC OEL / TWA: Short-term exposure valueCA QC OEL / C: CeilingCA QC OEL / C: Ceiling<	CA B	C OEL	:		Columbia OEL		
CA QC OEL:Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminantsNIOSH:NIOSH Pocket Guide to Chemical Hazards (US)29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 20 Cell (TWA 20 Cell (TWA	CA O	NOEL	:				
NIOSH:NIOSH Pocket Guide to Chemical Hazards (US)29 CFR 1910.1000 (Table Z- 1-A) / CLV:Ceiling Limit Value:1-A) / CLV:Time Weighted Average (TWA):1-A) / TWA value:Permissible exposure limit29 CFR 1910.1000 (Table Z- 1) / PEL:Permissible exposure limitACGIH / TWA:8-hour, time-weighted averageACGIH / TWA:Short-term exposure limitACGIH / C:Ceiling limitACGIHTLV / TWA value:Time Weighted Average (TWA):CA AB OEL / TWA:8-hour Occupational exposure limitCA AB OEL / TWA:8-hour time weighted averageCA BC OEL / TWA:short-term exposure limitCA BC OEL / TWA:short-term exposure limitCA BC OEL / TWA:short-term exposure limitCA ON OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWA:Time-weighted average exposure valueCA QC OEL / TWA:Short-term exposure valueCA QC OEL / TWA:Short-term exposure valueCA QC OEL / C:CeilingCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):	CA Q	C OEL	:	Québec. Regulat ty, Schedule 1, P	on respecting occupational health and safe- art 1: Permissible exposure values for air-		
29 CFR 1910.1000 (Table Z- 1-A) / CLVCeiling Limit Value:1-A) / CLV29 CFR 1910.1000 (Table Z- 29 CFR 1910.1000 (Table Z- 	NIOS	Н	:				
29 CFR 1910.1000 (Table Z- 1-A) / TWA valueTime Weighted Average (TWA):29 CFR 1910.1000 (Table Z- 1) / PELPermissible exposure limitACGIH / TWA:8-hour, time-weighted averageACGIH / TWA:8-hour, time-weighted averageACGIH / STEL:Short-term exposure limitACGIH / C:Ceiling limitACGIH / C:Ceiling limitACGIH / C::ACGIH / C:Ceiling limitACGIH / C::ACGIH / C::CA B OEL / TWA value:Time Weighted Average (TWA):CA AB OEL / TWA:8-hour Occupational exposure limitCA B OEL / TWA:8-hour im weighted averageCA BC OEL / TWA:short-term exposure limitCA BC OEL / TWA:ceiling limitCA ON OEL / C:ceiling limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-Weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			:				
1) / PELACGIH / TWAACGIH / STELShort-term exposure limitACGIH / CCGIH / CCGIHTLV / TWA valueTime Weighted Average (TWA):CA AB OEL / TWACA AB OEL / TWACA AB OEL / TWACA AB OEL / TWACA BC OEL / CCA CON OEL / CCA ON OEL / CCA QC OEL / TWACA QC OEL / TWAEVCA QC OEL / STEVCA QC OEL / STEVCA QC OEL / CCA QC OEL / C <td>29 ĆF</td> <td>R 1910.1000 (Table Z-</td> <td>:</td> <td>Time Weighted A</td> <td>verage (TWA):</td>	29 ĆF	R 1910.1000 (Table Z-	:	Time Weighted A	verage (TWA):		
ACGIH / STEL:Short-term exposure limitACGIH / C:Ceiling limitACGIHTLV / TWA value:Time Weighted Average (TWA):CA AB OEL / TWA:8-hour Occupational exposure limitCA AB OEL / (c):ceiling occupational exposure limitCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / STEL:short-term exposure limitCA BC OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			:	Permissible expo	sure limit		
ACGIH / C:Ceiling limitACGIHTLV / TWA value:Time Weighted Average (TWA):CA AB OEL / TWA:8-hour Occupational exposure limitCA AB OEL / (c):ceiling occupational exposure limitCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / STEL:short-term exposure limitCA BC OEL / C:ceiling limitCA ON OEL / C:ceiling limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):	ÁCGI	H / TWA	:	8-hour, time-weig	hted average		
ACGIHTLV / TWA value:Time Weighted Average (TWA):CA AB OEL / TWA:8-hour Occupational exposure limitCA AB OEL / (c):ceiling occupational exposure limitCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / STEL:short-term exposure limitCA BC OEL / C:ceiling limitCA ON OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA QC OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):	ACGI	ACGIH / STEL		Short-term expos	ure limit		
CA AB OEL / TWA:8-hour Occupational exposure limitCA AB OEL / (c):ceiling occupational exposure limitCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / STEL:short-term exposure limitCA BC OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):		ACGIH / C					
CA AB OEL / (c):ceiling occupational exposure limitCA BC OEL / TWA:8-hour time weighted averageCA BC OEL / STEL:short-term exposure limitCA BC OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			:				
CA BC OEL / TWA : 8-hour time weighted average CA BC OEL / STEL : short-term exposure limit CA BC OEL / C : ceiling limit CA ON OEL / C : Ceiling Limit (C) CA ON OEL / TWA : Time-Weighted Average Limit (TWA) CA QC OEL / TWAEV : Time-weighted average exposure value CA QC OEL / STEV : Short-term exposure value CA QC OEL / STEV : Ceiling NIOSH / Ceil_Time : Ceiling Limit Value and Time Period (if specified):			:				
CA BC OEL / STEL : short-term exposure limit CA BC OEL / C : ceiling limit CA ON OEL / C : Ceiling Limit (C) CA ON OEL / TWA : Time-Weighted Average Limit (TWA) CA QC OEL / TWAEV : Time-weighted average exposure value CA QC OEL / STEV : Short-term exposure value CA QC OEL / C : Ceiling NIOSH / Ceil_Time : Ceiling Limit Value and Time Period (if specified):			:				
CA BC OEL / C:ceiling limitCA ON OEL / C:Ceiling Limit (C)CA ON OEL / TWA:Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			:				
CA ON OEL / C : Ceiling Limit (C) CA ON OEL / TWA : Time-Weighted Average Limit (TWA) CA QC OEL / TWAEV : Time-weighted average exposure value CA QC OEL / STEV : Short-term exposure value CA QC OEL / C : Ceiling NIOSH / Ceil_Time : Ceiling Limit Value and Time Period (if specified):			:		ure limit		
CA ON OEL / TWA: Time-Weighted Average Limit (TWA)CA QC OEL / TWAEV: Time-weighted average exposure valueCA QC OEL / STEV: Short-term exposure valueCA QC OEL / C: CeilingNIOSH / Ceil_Time: Ceiling Limit Value and Time Period (if specified):			:				
CA QC OEL / TWAEV:Time-weighted average exposure valueCA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			÷		$v = r = r = 1$ insit $(T \setminus A \setminus A)$		
CA QC OEL / STEV:Short-term exposure valueCA QC OEL / C:CeilingNIOSH / Ceil_Time:Ceiling Limit Value and Time Period (if specified):			-				
CA QC OEL / C : Ceiling NIOSH / Ceil_Time : Ceiling Limit Value and Time Period (if specified):			•				
NIOSH / Ceil_Time : Ceiling Limit Value and Time Period (if specified):			:	•			
			:		e and Time Period (if specified):		
NIOSH / REL value : Recommended exposure limit (REL):			÷				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Svstem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-



MEYCO MP 355 1K DW

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	00000350161	Date of first issue: 01/24/2023

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/15/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN