

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

### SECTION 1. IDENTIFICATION

Product name : MasterRoc MP 300 Hardener

Product code : 000000000058408580 000000000058408580

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Master Builders Solutions Canada Inc.

Address : 1800 CLARK BLVD  
Brampton ON L6T 4M7

Emergency telephone : ChemTel: +1-813-248-0585;

National Emergency Telephone Number : USA: +1-800-255-3924 ChemTel contract no. MIS9240420

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Oxidizing solids : Category 3

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 3

#### GHS label elements

# SAFETY DATA SHEET

according to the Hazardous Products Regulations

**MASTER<sup>®</sup>**  
**» BUILDERS**  
SOLUTIONS

## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H272 May intensify fire; oxidizer.  
H319 Causes serious eye irritation.  
H315 Causes skin irritation.  
H302 Harmful if swallowed.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H402 Harmful to aquatic life.

Precautionary Statements

:

### Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 Avoid release to the environment.  
P284 In case of inadequate ventilation wear respiratory protection.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash face, hands and any exposed skin thoroughly after handling.  
P220 Keep away from clothing and other combustible materials.  
P221 Take any precaution to avoid mixing with combustibles.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
Rinse mouth.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version 2.1      Revision Date: 05/01/2024      SDS Number: 000000519887      Date of last issue: 08/15/2023  
Date of first issue: 01/09/2023

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : No applicable information available.

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Disodium peroxodisulphate	Peroxydisulfuric acid ([(HO)S(O)2]2O2), disodium salt	7775-27-1	>= 90 - <= 100 *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled : After inhalation of dust.  
Keep patient calm, remove to fresh air, seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water and soap.  
Under no circumstances should organic solvent be used.  
If irritation develops, seek medical attention.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
Keep eye wide open while rinsing.  
Remove contact lenses, if present.  
Seek medical advice.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
Do NOT induce vomiting.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.

Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam  
Water spray  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : water jet

Hazardous combustion products : harmful vapours  
nitrogen oxides  
fumes/smoke  
carbon black  
carbon oxides

Further information : The degree of risk is governed by the burning substance and the fire conditions.  
If exposed to fire, keep containers cool by spraying with water.  
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.  
Contaminated extinguishing water must be disposed of in accordance with official regulations.

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Do not breathe dust.  
Wear eye/face protection.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
Dispose of contaminated material as prescribed.  
Avoid raising dust.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version 2.1      Revision Date: 05/01/2024      SDS Number: 000000519887      Date of last issue: 08/15/2023  
Date of first issue: 01/09/2023

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.  
Dust can form an explosive mixture with air.  
Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.  
Keep away from sources of ignition - No smoking.
- Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.
- Materials to avoid : Observe TRGS 509/510 storage rules.  
  
Do not store near acids.
- Further information on storage stability : No data available

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Disodium peroxodisulphate	7775-27-1	TWA	0.1 mg/m3	CA AB OEL
		TWA	0.1 mg/m3 (Persulphate)	CA BC OEL
		TWA	0.1 mg/m3	ACGIH

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

			(Persulphate)	
--	--	--	---------------	--

**Engineering measures** : No applicable information available.

### Personal protective equipment

Respiratory protection : Wear a NIOSH approved (or equivalent) particulate respirator if ventilation is inadequate to control dust.

Hand protection

Remarks : Chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Safety glasses with side-shields.

Skin and body protection : Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Protective measures : Avoid inhalation of dusts.  
Wearing of closed work clothing is required additionally to the stated personal protection equipment.  
Avoid exposure - obtain special instructions before use.  
Handle in accordance with good building materials hygiene and safety practice.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : crystalline

Color : white

Odor : odorless

Odor Threshold : No data available

pH : approx. 4.3 (20 °C)  
Concentration: 10 g/l

Melting point : > 180 °C

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Freezing point	No applicable information available.
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: The product is a non-volatile solid.
Flammability (solid, gas)	: not flammable
Self-ignition	: not self-igniting
Upper explosion limit / Upper flammability limit	: For solids not relevant for classification and labelling.
Lower explosion limit / Lower flammability limit	: For solids not relevant for classification and labelling.
Vapor pressure	: Not applicable
Relative vapor density	: The product is a non-volatile solid.
Relative density	: No applicable information available.
Density	: 1.2 g/cm <sup>3</sup> (20 °C)
Bulk density	: 1,150 kg/m <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: 556 g/l (20 °C)
Solubility in other solvents	: No applicable information available.
Partition coefficient: n-octanol/water	: log Pow: -3.02 (25 °C) Method: other (calculated)
Decomposition temperature	: No decomposition if stored and handled as prescribed/indicated.
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: No applicable information available.
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is classified as oxidizing with the category 3.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Self-heating substances	:	No data available
Sublimation point	:	No applicable information available.
Molecular weight	:	No data available
Metal corrosion rate	:	No corrosive effect on metal.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Contact with combustible material may cause fire. No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Acids Bases Reducing agents Organic Substances metal
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	ATE: 943 mg/kg
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

### Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

### Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

### Mobility in soil

No data available

### Other adverse effects

#### Product:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Additional ecological information : There is a high probability that the product is not acutely harmful to aquatic organisms.  
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Do not discharge product into the environment without control.  
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regulations.  
Do not discharge into drains/surface waters/groundwater.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1505  
Proper shipping name : SODIUM PERSULPHATE  
Class : 5.1  
Packing group : III  
Labels : 5.1  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 1505  
Proper shipping name : Sodium persulphate  
Class : 5.1  
Packing group : III  
Labels : Oxidizer  
Packing instruction (cargo aircraft) : 563  
Packing instruction (passenger aircraft) : 559

##### IMDG-Code

UN number : UN 1505  
Proper shipping name : SODIUM PERSULPHATE  
Class : 5.1

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

Packing group	:	III
Labels	:	5.1
EmS Code	:	F-A, S-Q
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number	:	UN 1505
Proper shipping name	:	SODIUM PERSULPHATE

Class	:	5.1
Packing group	:	III
Labels	:	5.1
ERG Code	:	140
Marine pollutant	:	no

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

DSL	:	All components of this product are on the Canadian DSL
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterRoc MP 300 Hardener

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2023
2.1	05/01/2024	000000519887	Date of first issue: 01/09/2023

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/01/2024  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN