

# MasterPolyheed 1025

Vers 3.0	ion	Revision Date: 08/15/2023		0S Number: 0000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
SECTION 1. IDENTIFICATION								
	Product name		:	MasterPolyheed 2	MasterPolyheed 1025			
	Product code		:	0000000005728	00000000057288801 00000000057288801			
	Other means of identification		:	No data available				
	Manufacturer or supplier's d		deta	ills				
	Compa	ny name of supplier	:	Master Builders S	olutions Canada Inc.			
	Addres	S	:	1800 CLARK BL\ Brampton ON L6	-			
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;			
		l Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420			

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage/eye irritation	:	Category 1
Skin corrosion/irritation	:	Category 2
Skin sensitization	:	Category 1B
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H318 Causes serious eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H401 Toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary Statements	:	Prevention:





Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
		face protection P261 Avoid bre P273 Avoid rel P272 Contamir the workplace.	tective gloves/ protective clothing/ eye protection/ eathing dust/ fume/ gas/ mist/ vapors/ spray. ease to the environment. nated work clothing should not be allowed out of ce, hands and any exposed skin thoroughly after
		Response:	
		for several min to do. Continue P302 + P352 II P362 + P364 T reuse.	• P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy e rinsing. F ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before tely call a POISON CENTER or doctor/ physician.
		Disposal:	
		P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: concrete

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
acetic acid	ethanoic acid	64-19-7	>= 1 - < 3
2,2',2'',2'''- Ethylenedinitrilotetra- ethanol	Ethanol, 2,2',2'',2'''-(1,2- ethanediyldini- trilo)tetrakis-	140-07-8	>= 0 - < 5
triisobutyl phosphate	Phosphoric acid, tris(2- methylpropyl) ester	126-71-6	>= 0.3 - < 3
Amines, N-tallow al- kyltrimethylenedi-, propoxylated	Amines, N- tallow alkyltri- methylenedi-, propoxylated	68603-75-8	>= 0.3 - < 1
dodecyldimethylamine	1- Dodecanamine, N,N-dimethyl-	112-18-5	>= 0.1 - < 0.2
bronopol	1,3-Propanediol, 2-bromo-2-nitro-	52-51-7	>= 0 - < 0.1

#### **SECTION 4. FIRST AID MEASURES**



# MasterPolyheed 1025

Version 3.0	Revision Date: 08/15/2023	SDS Nu 000000		Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
Gene	eral advice	If the tran Imm Mov Con Sho ance	e patient is like sport in stable ediately remo e out of dange sult a physicia w this materia e.	
lf inh	aled	tion. Imm		, remove to fresh air, seek medical atten- nister a corticosteroid from a con- se inhaler.
		advi	ce.	ace in recovery position and seek medical st, call a physician.
In ca	se of skin contact			thoroughly with plenty of water, apply ster- sult a skin specialist.
		lf or	in irritation per skin, rinse we clothes, remo	
In ca	se of eye contact			affected eyes for at least 15 minutes under a eyelids held open, consult an eye special-
		sue In th of w Con Ren Prot Kee	damage and I e case of con ater and seek tinue rinsing e nove contact le ect unharmed p eye wide op	tact with eyes, rinse immediately with plenty medical advice. eyes during transport to hospital. enses.
If sw	allowed		ediately rinse c medical atter	mouth and then drink 200-300 ml of water, ntion.
		Kee Do I Do r Nev If sy	p respiratory t NOT induce vo not give milk o er give anythir mptoms persis	
	important symptoms effects, both acute and ved	May	ses skin irritat cause an alle ses serious ey	rgic skin reaction.



# MasterPolyheed 1025

Version 3.0	Revision Date: 08/15/2023		OS Number: 0000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
Note	es to physician	:	Treat symptomatic	cally.
SECTION	5. FIRE-FIGHTING ME	ASL	IRES	
Suita	able extinguishing media	:	Foam Dry powder Carbon dioxide (C	:02)
Uns med	uitable extinguishing ia	:	High volume wate	r jet
Spe fight	cific hazards during fire ing	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
Furtl	ner information	:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
•	cial protective equipment re-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Product is not explosive.
		Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.



# MasterPolyheed 1025

Version 3.0	Revision Date: 08/15/2023		Number: 00260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	Conditions for safe storage Further information on stor- age conditions		llergies, chronic	ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being
Co			lace. Containers which ept upright to pre lectrical installat	htly closed in a dry and well-ventilated are opened must be carefully resealed and event leakage. ons / working materials must comply with safety standards.
				riginal container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.
Ма	terials to avoid	: C	bserve TRGS 50	09/510 storage rules.
	ther information on stor- e stability	: N	lo decompositior	if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
acetic acid	64-19-7	TWA	10 ppm 25 mg/m3	CA AB OEL
		STEL	15 ppm 37 mg/m3	CA AB OEL
		TWA	10 ppm	CA BC OEL
		STEL	15 ppm	CA BC OEL
		TWAEV	10 ppm 25 mg/m3	CA QC OEL
		STEV	15 ppm 37 mg/m3	CA QC OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

#### Ingredients with workplace control parameters

**Engineering measures** 

: Ensure adequate ventilation.

Ensure that dust does not build up in the ventilation system.

Respiratory protection	:	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.



# MasterPolyheed 1025

Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
Eye protection		Tightly fitting	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processi			
Skin and body protection		Choose body	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
Protective measures		Avoid contact Avoid exposu Handle in acc and safety pr	gases/vapours/aerosols. t with the skin, eyes and clothing. are - obtain special instructions before use. cordance with good building materials hygiene actice. osed work clothing is recommended.			
Hyg	iene measures	When using a	to not eat or drink. to not smoke. before breaks and at the end of workday.			

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	brown
Odor	:	sweetish
рН	:	4 - 6
Melting point	:	No applicable information available.
Boiling point	:	100 °C
Flash point	:	A flash point determination is unnecessary due to the high water content.
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	not determined
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No data available
Relative vapor density	:	No applicable information available.

# MasterPolyheed 1025



Vers 3.0	sion	Revision Date: 08/15/2023		S Number: 0000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023	
	Relative density		:	1.061 - 1.075 (25	°C)	
	Density		:	1.065 g/cm3 (20 °C)		
	Solubili Wat	ty(ies) er solubility	:	soluble		
	Solu	bility in other solvents	:	No applicable inf	ormation available.	
	Partition coefficient: n- octanol/water		:	No applicable inf	ormation available.	
	Autoigr	ition temperature	:	No data available	)	
	Decomposition temperature		:	No decomposition if stored and handled as pre- scribed/indicated.		
	Viscosi	ty				
	Visc	osity, dynamic	:	No applicable inf	ormation available.	
	Visc	osity, kinematic	:	No applicable inf	ormation available.	
	Explosi	ve properties	:	Not explosive Not explosive		
	Oxidizir	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified	
	Sublimation temperature		:	No applicable information available.		

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

# MasterPolyheed 1025



)	Revision Date: 08/15/2023	SDS Number: 000000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
ECTION	11. TOXICOLOGICA	L INFORMATION	
	toxicity		
	assified based on ava	ailable information.	
	corrosion/irritation		
	es skin irritation.	innitation	
	us eye damage/eye es serious eye damag		
	iratory or skin sensi	-	
	sensitization ause an allergic skin	reaction	
Resp	iratory sensitization assified based on ava		
	cell mutagenicity assified based on ava	ailable information.	
	nogenicity assified based on ava	ailable information.	
-	oductive toxicity assified based on ava	ailable information.	
	<b>-single exposure</b> assified based on ava	ailable information.	
	-repeated exposure assified based on ava		
-	ation toxicity assified based on ava	ailable information.	
	er information		
<u>Produ</u>	<u>ict:</u>		
Rema	rks		s not been tested. The statement has been e properties of the individual components.

# Ecotoxicity Product: Ecotoxicology Assessment Acute aquatic toxicity : Toxic to aquatic life. Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.



# MasterPolyheed 1025

Revision Date: 08/15/2023			Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
oonents:			
<b>cyldimethylamine:</b> ctor (Acute aquatic tox-	:	10	
ctor (Chronic aquatic ty)	:	1	
opol:			
ctor (Acute aquatic tox-	:	10	
ctor (Chronic aquatic ty)	:	1	
stence and degradabil ata available	ity		
ccumulative potential ata available			
l <b>ity in soil</b> ata available			
r adverse effects			
<u>uct:</u> ional ecological infor- n	:	Based on data fr	e product into the environment without control. om similar materials
		unprofessional h Toxic to aquatic Harmful to aqua	
	08/15/2023 Donents: cyldimethylamine: ctor (Acute aquatic tox- ctor (Chronic aquatic ty) Dpol: ctor (Acute aquatic tox- ctor (Chronic aquatic tox- ctor (Chronic aquatic tox- ctor (Chronic aquatic ty) stence and degradabil ata available cumulative potential ata available lity in soil ata available r adverse effects uct: onal ecological infor-	08/15/2023       00         conents:       cyldimethylamine:         ctor (Acute aquatic tox- :       :         ctor (Chronic aquatic tox- :       :         ctor (Acute aquatic tox- :       :         ctor (Chronic aquatic tox- :       :         ctox available       :	08/15/2023       000000260396         conents:       cyldimethylamine:         ctor (Acute aquatic tox- : 10         ctor (Chronic aquatic : 1         cy)       1         opol:       1         ctor (Acute aquatic tox- : 10         ctor (Chronic aquatic : 1         ctor (Chronic : 1         ctor (Chronic

#### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	:	Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

**UNRTDG** Not regulated as a dangerous good



#### MasterPolyheed 1025

)	Revision Date: 08/15/2023	SDS Number: 000000260396	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
IATA- Not re	DGR egulated as a danger	ous good	
_	- <b>Code</b> egulated as a danger	ous good	
	sport in bulk accord	-	RPOL 73/78 and the IBC Code
Dome	estic regulation		
Donie	-		
TDG	egulated as a danger	ous good	
<b>TDG</b> Not re	egulated as a danger	•	
TDG Not re	15. REGULATORY I	NFORMATION	the following inventories:
TDG Not re	15. REGULATORY I	NFORMATION	the following inventories: listed as active on the TSCA inventory
TDG Not re CTION The in	15. REGULATORY I	INFORMATION roduct are reported in : All substances : This product co	-
TDG Not re CTION The in TSCA DSL	15. REGULATORY I	INFORMATION roduct are reported in : All substances : This product co Canadian NDS	listed as active on the TSCA inventory ontains one or more components listed on the

#### Full text of other abbreviations

ACGIH CA AB OEL	:	USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



#### **MasterPolyheed 1025**

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	00000260396	Date of first issue: 01/09/2023

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/15/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN