MasterSet DELVO



Versio 2.0	n	Revision Date: 08/15/2023	-	DS Number: 00000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
SECTI	ON 1	. IDENTIFICATION			
P	roduc	t name	:	MasterSet DELV	D
P	roduc	t code	:	00000000005070	1348 000000000050701348
м	anufa	acturer or supplier's	deta	ails	
C	Company name of supplier		:	Master Builders-A	Admixtures US,LLC
A	Address		:	23700 Chagrin Blvd Beachwood OH 44122	
E	merg	ency telephone	:	ChemTel: +1-813-248-0585	
	National Emergency Tele- phone Number		:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420
Recommended use of the c			hen	nical and restriction	ons on use
R	Recommended use		:	Product for const	ruction chemicals
R	Restrictions on use		:	Reserved for indu	ustrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Skin corrosion/irritation	:	Category 2			
Serious eye damage/eye irritation	:	Category 2A			
Skin sensitization	:	Category 1B			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Warning			
Hazard Statements	:	H319 Causes serious eye irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction.			
Precautionary Statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.			



Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023		
		P272 Contamin the workplace.	eathing dust/ fume/ gas/ mist/ vapors/ spray. nated work clothing should not be allowed out of ce, hands and any exposed skin thoroughly after		
		Response:			
		for several min to do. Continue P333 + P313 If attention. P302 + P352 If P332 + P313 If tion. P362 + P364 T reuse.	351 + P338 IF IN EYES: Rinse cautiously with water I minutes. Remove contact lenses, if present and easy		
		Disposal:			
		P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.		
Othe	r hazards				

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Solution based on: Organic acids in water

Components

Chemical name	CAS-No.	Concentration (% w/w)
NITRILOTRIMETHYLENETRIS(PHO	6419-19-8	>= 0 - < 15
SPHONIC ACID)		
Sodium hydroxide	1310-73-2	>= 0 - < 1
phosphonic acid	13598-36-2	>= 0.1 - < 0.3
4-chloro-3-methyl phenol	59-50-7	>= 0 - < 0.3

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician.

MasterSet DELVO



Version 2.0	Revision Date: 08/15/2023		S Number: 0000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
			If on skin, rinse w If on clothes, rem		
In ca	se of eye contact	:	Remove contact I Protect unharmed Keep eye wide op	l eye.	
If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		
	important symptoms effects, both acute and /ed	:	Causes skin irrita May cause an alle Causes serious e	ergic skin reaction.	
Note	s to physician	:	Treat symptomati	cally.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	
gency procedures	



Versi 2.0	ion	Revision Date: 08/15/2023		DS Number: 0000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
	Environmental precautions		:	Prevent further le	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.
	Methods and materials for containment and cleaning up		:	Neutralize with chalk, alkali solution or ammonia. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
SEC	TION 7	. HANDLING AND ST	OR	AGE	
		on protection against d explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. Dispose of rinse v regulations. Persons susceptia allergies, chronic	obtain special instructions before use.
	Conditi	ons for safe storage	:	place.	ghtly closed in a dry and well-ventilated ions / working materials must comply with safety standards.
		r information on stor- nditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.
	Materia	als to avoid	:	No applicable info	ormation available.
				Do not store near	acids.
	Further	r information on stor-	:	No decomposition	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

age stability

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	ACGIH



MasterSet DELVO

sion	Revision Date: 08/15/2023	SDS Number 0000002473		f last issue: 07/28/20 f first issue: 01/03/20	
			С	2 mg/m3	NIOSH R
			C	2 mg/m3	NIOSH R
			TWA	2 mg/m3	OSHA Z-
			TWA	2 mg/m3	OSHA Z-
			С	2 mg/m3	OSHA P
			С	2 mg/m3	OSHA P
Engii	neering measures	: No applic	able information	available.	
Perso	onal protective equip	ment			
Resp	iratory protection	may be e	xceeded.	d respirator when exp spiratory protection.	oosure limits
Hand	protection				
Re	emarks		for use should	protective gloves. Ma be observed because	
Eye p	protection	Tightly fit			mal processing
Skin a	and body protection	Choose b		according to the amou us substance at the v	
Prote	ctive measures	Avoid cor Avoid exp Handle in and safet	oosure - obtain s accordance wit y practice.	ours/aerosols. in, eyes and clothing. special instructions be h good building mate lothing is recommend	efore use. rials hygiene
Hygie	ene measures	When usi	ng do not eat or ng do not smoke nds before breal		vorkday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: blue
Odor	: odorless
рН	: 2.1 - 4 (77 °F / 25 °C)
Freezing point	: 27 °F / -3 °C



Version 2.0	Revision Date: 08/15/2023		S Number: 0000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Ме	Melting point		27 °F / -3 °C	
Boi	Boiling point		221 °F / 105 °C	
Fla	Flash point		does not flash	
Eva	aporation rate	:	not determined	
	per explosion limit / Upper mmability limit	:	No applicable inf	ormation available.
Re	lative vapor density	:	Heavier than air.	
De	nsity	:	approx. 1.075 g/d	cm3 (68 °F / 20 °C)
	ubility(ies) Water solubility	:	soluble (68 °F / 2	20 °C)
	Solubility in other solvents	:	No applicable inf	ormation available.
	rtition coefficient: n- anol/water	:	Not applicable	
Au	toignition temperature	:	Based on the wa	ter content the product does not ignite.
De	Decomposition temperature		No decompositio scribed/indicated	n if stored and handled as pre-
	cosity Viscosity, dynamic	:	not determined	
	Viscosity, kinematic	:	No applicable inf	ormation available.
Exp	plosive properties	:	Not explosive	
Ox	idizing properties	:	not fire-propagat	ng
Su	blimation temperature	:	No applicable inf	ormation available.
Мо	lecular weight	:	No data available	Э.
Me	tal corrosion rate	:		on: Mild steel Aluminium The product is not to rrosive for transport purposes.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.

MasterSet DELVO



Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Cond	ditions to avoid	: See SDS sec	tion 7 - Handling and storage.
Incor	npatible materials	: Strong acids Strong bases Strong oxidizi Strong reduci	ng agents
Haza prode	ardous decomposition ucts	: phosphines carbon oxides	3
SECTION	I 11. TOXICOLOGICAL	INFORMATION	
	e toxicity classified based on avail	able information.	
<u>Prod</u> Acute	l <u>uct:</u> e inhalation toxicity	: Remarks: No a	applicable information available.
-	corrosion/irritation		
	ous eye damage/eye ir ses serious eye irritation		
Resp	piratory or skin sensiti	zation	
	sensitization cause an allergic skin re	action.	
-	biratory sensitization classified based on avail	able information.	
	n cell mutagenicity classified based on avail	able information.	
	inogenicity classified based on avail	able information.	
-	oductive toxicity	able information.	
	T-single exposure classified based on avail	able information.	
	T-repeated exposure classified based on avail	able information.	
Aspi	ration toxicity classified based on avail		
	her information		
<u>Prod</u> Rem			as not been tested. The statement has been

The product has not been tested. The statement has been derived from the properties of the individual components.

MasterSet DELVO



/ersion 2.0	Revision Date: 08/15/2023		OS Number: 0000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
ECTION	I 12. ECOLOGICAL INFO	DRM	MATION	
Ecot	oxicity			
Prod	luct:			
Toxic	city to fish	:	LC0 (trout, rain Exposure time	nbow): 5,000 mg/l : 96 h
	city to daphnia and other tic invertebrates	:	LC0 (Daphnia Exposure time	magna): 400 mg/l : 48 h
Ecot	oxicology Assessment			
Acute	e aquatic toxicity	:	This product h	as no known ecotoxicological effects.
Chro	nic aquatic toxicity	:	This product h	as no known ecotoxicological effects.
<u>Com</u>	ponents:			
4-ch	loro-3-methyl phenol:			
M-Fa icity)	actor (Acute aquatic tox-	:	1	
M-Fa toxic	actor (Chronic aquatic ity)	:	1	
	istence and degradabil i ata available	ity		
Bioa	ccumulative potential			
<u>Com</u>	ponents:			
phos	sphonic acid:			
	tion coefficient: n- nol/water	:	log Pow: 1.15 Method: other	(calculated)
	ility in soil ata available			
Othe	er adverse effects			
Prod	luct:			
	tional ecological infor-	:	harmful to aqu The product ha	n probability that the product is not acutely atic organisms. as not been tested. The statements on ecotos een derived from the properties of the individu

MasterSet DELVO



Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000247307	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
SECTION	13. DISPOSAL CONS	SIDERATIONS	
Dispo	osal methods		
Wast	e from residues	tions. Residues shou substance/proc	ccordance with national, state and local regula- ld be disposed of in the same manner as the luct. ge into drains/surface waters/groundwater.
Conta	aminated packaging		packaging should be emptied as far as possible fin the same manner as the sub-

stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION


1310-73-2
1310-73-2

California Prop. 65

WARNING: This product can expose you to chemicals including formaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:			
DSL	:	This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.	
TSCA	:	All chemical substances in this product are either listed as	





active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / C	:	Ceiling limit
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / C	:	Ceiling limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Indus-



MasterSet DELVO

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000247307	Date of first issue: 01/03/2023

trial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN