

Version 2.0	Revision Date: 08/15/2023	-	DS Number: 00000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
SECTIO	ON 1. IDENTIFICATION			
Pro	oduct name	:	MasterPel 240	
Pro	oduct code	:	0000000005047	8786 00000000050478786
Ма	nufacturer or supplier's	deta	ails	
Co	mpany name of supplier	:	Master Builders-	Admixtures US,LLC
Ad	dress	:	23700 Chagrin B Beachwood OH 4	
En	nergency telephone	:	ChemTel: +1-813	3-248-0585
	tional Emergency Tele- one Number	:	USA: +1-800-25	55-3924 ChemTel contract no. MIS9240420
Re	commended use of the o	cher	nical and restriction	ons on use
Re	commended use	:	Sealant	
Re	strictions on use	:	Reserved for indu	ustrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Skin irritation	:	Category 2			
Long-term (chronic) aquatic hazard	:	Category 2			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Warning			
Hazard Statements	:	H315 Causes skin irritation. H411 Toxic to aquatic life with long lasting effects.			
Precautionary Statements	:	Prevention: P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves. Response:			



	2 IF ON SKIN: Wash with plenty of soap and water.
tion.	3 If skin irritation occurs: Get medical advice/ atten-
· · · · ·	se of contents/ container to an approved waste dis-
	P391 Collect Disposal:

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :	Mixture
-----------------------	---------

Chemical nature : Aqueous solution

Components

Chemical name	CAS-No.	Concentration (% w/w)
triethoxyoctylsilane	2943-75-1	>= 30 - < 50
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-4-	55965-84-9	>= 0 - < 0.01
isothiazolin-3-one (3:1)		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation.

MasterPel 240



Vers 2.0	sion	Revision Date: 08/15/2023		DS Number: 0000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
Notes to physician		:	Treat symptomatically.			
SEC	CTION 5	. FIRE-FIGHTING ME	ASL	JRES		
	Suitabl	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (C	CO2)	
	Unsuita media	able extinguishing	:	water jet		
	Hazarc ucts	lous combustion prod-	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black		
	Further	r information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.	
	•	l protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.



MasterPel 240

Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
				Dispose of rinse v regulations.	vater in accordance with local and national
	Condition	ons for safe storage	:	place.	htly closed in a dry and well-ventilated ons / working materials must comply with safety standards.
	Further age cor	information on stor- nditions	:		priginal container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.
	Materia	ls to avoid	:	Keep away from f	ood and drink.
	Recom peratur	mended storage tem- e	:	> 39 °F / > 4 °C	
	Further age sta	information on stor- bility	:	PROTECT FROM (BELOW 40°F / 5	I FREEZING DURING THE COLD-SEASON °C).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Ensure adequate ventilation.
----------------------	---	------------------------------

Personal protective equipment Respiratory protection :		Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.	
Hand protection			
Remarks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.	
Eye protection	:	Wear safety glasses with side shields or goggles.	
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.	
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.	
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.	



Version 2.0	Revision Date: 08/15/2023	-	S Number: 0000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
			care agents applie Gloves must be in	shift the skin should be cleaned and skin- ed. Ispected regularly and prior to each use. ary (e.g. pinhole leaks).
SECTIO	N 9. PHYSICAL AND CHE	ΞΜΙΟ		3
Арр	earance	:	liquid	
Col	Dr	:	off-white	
Odd	pr	:	mild, alcohol-like	
Odd	or Threshold	:	not determined	
pН		:	7 - 8	
Mel	ting temperature	:	No data available)
Boil	ing point	:	208 °F / 98 °C	
Flas	sh point	:	Not applicable	
Eva	poration rate	:	not determined	
Flar	nmability (liquids)	:	The product is no	t flammable.
	er explosion limit / Upper mability limit	:	No data available	
	ver explosion limit / Lower nmability limit	:	No data available	
Vap	or pressure	:	No data available)
Rela	ative vapor density	:	Heavier than air.	
Rela	ative density	:	No data available)
Der	isity	:	0.943 - 0.955 g/c	m3 (68 °F / 20 °C)
	ubility(ies) Nater solubility	:	soluble (68 °F / 2	20 °C)
	Solubility in other solvents	:	No data available	9
	tition coefficient: n- anol/water	:	not applicable for	mixtures
Auto	pignition temperature	:	No data available	9

MasterPel 240



Versio 2.0	on Revision Date: 08/15/2023		S Number: 0000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
C	Decomposition temperature		No decomposition if stored and handled as pre- scribed/indicated.		
V	Viscosity Viscosity, dynamic		not determined		
	Viscosity, kinematic	:	not determined		
E	Explosive properties	:	Not explosive		
C	Dxidizing properties	:	Based on its structural properties the product is not classified as oxidizing.		
S	Sublimation point	:	No data available		
Ν	Molecular weight	:	Not applicable		
SECT	ION 10. STABILITY AND RE	EAC	ΤΙVITY		
F	Reactivity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-	
C	Chemical stability		The product is stable if stored and handled as pre- scribed/indicated.		
	Possibility of hazardous reac- tions		The product is stable if stored and handled as pre- scribed/indicated.		
C	Conditions to avoid		See SDS section 7 - Handling and storage.		
lı	ncompatible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing		
	Hazardous decomposition products	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Not classified based on available information.

MasterPel 240



rsion)	Revision Date: 08/15/2023	SDS Numb 000000259		Date of last issue: 07/28/2023 Date of first issue: 01/03/2023				
Resp	Respiratory or skin sensitization							
-	Skin sensitization Not classified based on available information.							
-	Respiratory sensitization Not classified based on available information.							
	cell mutagenicity lassified based on ava	ilable informat	tion.					
	n ogenicity lassified based on ava	ilable informat	tion.					
-	oductive toxicity lassified based on ava	ilable informat	tion.					
	F-single exposure lassified based on ava	ilable informat	tion.					
	F-repeated exposure lassified based on ava	ilable informat	tion.					
-	ration toxicity lassified based on ava	ilable informat	tion.					
Furth	er information							
<u>Prodi</u> Rema		The pro	oduct has e been de	re not known or expected under normal use. not been tested. The statements on toxicolo- erived from the properties of the individual				
CTION	12. ECOLOGICAL IN	FORMATION						
Ecoto	oxicity							
<u>Produ</u>	uct:							
	oxicology Assessme nic aquatic toxicity		o aquatic	life with long lasting effects.				
Components:								
M-Fa	ire of: 5-chloro-2-me ctor (Acute aquatic tox	-	zolin-3-o	ne and 2-methyl-4-isothiazolin-3-one (3:1):				
icity) M-Fa toxicit	ctor (Chronic aquatic	: 100						

Persistence and degradability

No data available



Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Bioac	cumulative potential		
<u>Produ</u>	ict:		
Bioaco	cumulation	: Remarks: No o Discharge into	data available. the environment must be avoided.
Mobili	ity in soil		
No da	ta available		
Other	adverse effects		
<u>Produ</u>	ict:		
Addition mation	onal ecological infor- า	The product ha	ge product into the environment without control. as not been tested. The statements on ecotoxi- een derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels	 UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKOXYSILANE) 9 EHSM III 9 (EHSM) 	,
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels	 UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ALKOXYSILANE) 9 EHSM III Miscellaneous Dangerous Goods, Environmentally hazardou 	IS




Versio 2.0	on	Revision Date: 08/15/2023		DS Number: 00000259898	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
		g instruction (cargo	:	964		
F	aircraft) Packing instruction (passen- ger aircraft) IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		:	964		
ι			:	 UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKOXYSILANE) 9 EHSM III 9 (EHSM) F-A, S-F yes 		
S F L E						
	Transport in bulk according Not applicable for product as s				OL 73/78 and the IBC Code	
0	Domestic regulation					
	49 CFR Not regulated as a dangerous good			od		
SECT	SECTION 15. REGULATORY INFORMATION					
ι	US Sta	te Regulations				
F	Pennsylvania Right To Know triethoxyoctylsilane The ingredients of this produc				2943-75-1	
Т			luct	are reported in th	ne following inventories:	
T	TSCA		:		stances in this product are either listed as CA Inventory or are in compliance with a exemption.	

DSL : All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION

Further information





Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000259898	Date of first issue: 01/03/2023

Revision Date : 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN