

Version 3.0	Revision Date: 08/15/2023		DS Number: 00000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
SECTIO	N 1. IDENTIFICATION				
Pro	duct name	:	MasterRoc MP 3	67 Foam PART B	
Product code		:	0000000005014	0995 00000000050140995	
Ma	nufacturer or supplier's	deta	ails		
Company name of supplier		:	Master Builders-Admixtures US,LLC		
Address		:	23700 Chagrin Blvd Beachwood OH 44122		
Em	ergency telephone	:	ChemTel: +1-813	3-248-0585	
	ional Emergency Tele- ne Number	:	USA: +1-800-25	55-3924 ChemTel contract no. MIS9240420	
Red	commended use of the o	chen	nical and restriction	ons on use	
Red	commended use	:	Product for const	ruction chemicals	
Restrictions on use		:	Reserved for industrial and professional use.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation - vapour)	:	Category 4
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2

GHS label elements



Version 3.0	Revision Date: 08/15/2023	SDS Number: 000000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Hazar	rd pictograms		
Signa	l Word	Danger	
Hazar	d Statements	H315 Causes H332 Harmful H334 May cau culties if inhale H317 May cau H335 May cau	if inhaled. se allergy or asthma symptoms or breathing dif ed. se an allergic skin reaction. se respiratory irritation. se damage to organs through prolonged or re-
Preca	utionary Statements	Prevention:	
		face protection P271 Use only P260 Do not b P261 Avoid br P284 In case o tion. P272 Contami the workplace.	v outdoors or in a well-ventilated area. reathe dusts or mists. eathing mist. of inadequate ventilation wear respiratory protec nated work clothing should not be allowed out o
		Response:	
		P305 + P351 - for several min to do. Continue P304 + P340 I keep comforta P314 Get med P302 + P352 I P333 + P313 I attention. P332 + P313 I tion. P362 + P364 T reuse.	DISON CENTER/ doctor/ .?/ if you feel unwell. P338 IF IN EYES: Rinse cautiously with water hutes. Remove contact lenses, if present and ea e rinsing. F INHALED: Remove person to fresh air and ble for breathing. lical advice/ attention if you feel unwell. F ON SKIN: Wash with plenty of water. f skin irritation or rash occurs: Get medical advice/ f skin irritation occurs: Get medical advice/ atten Take off contaminated clothing and wash it befo f eye irritation persists: Get medical advice/ atten
		Storage:	
		P403 + P233 S tightly closed. P405 Store loo	Store in a well-ventilated place. Keep container cked up.
		Disposal:	
		P501 Dispose	of contents/container to appropriate hazardous





Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	00000256201	Date of first issue: 01/03/2023

waste collection point.

Other hazards

Contains isocyanates. Inhalation of isocyanate mists or vapors may cause respiratory irritation, breathlessness, chest discomfort and reduced pulmonary function. Overexposure well above the PEL may result in bronchitis, bronchial spasms and pulmonary edema. Animal tests indicate that skin contact may play a role in causing respiratory sensitization.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Blend based on: isocyanate

Components

Chemical name	CAS-No.	Concentration (% w/w)
Isocyanic acid, polymethylenepoly- phenylene ester (P-MDI)	9016-87-9	>= 30 - < 50
Diphenylmethane-4,4'-diisocyanate (MDI)	101-68-8	>= 30 - < 50
tris(2-chloro-1-methylethyl)phosphate	13674-84-5	>= 5 - < 10
triethyl phosphate	78-40-0	>= 1 - < 5
diphenylmethane-2,4'-diisocyanate	5873-54-1	>= 1 - < 5
Isocyanic acid, polymethylenepoly- phenylene ester, polymer with alpha- hydro-omega-hydroxypoly(oxy-1,2- ethanediyl)	57636-09-6	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.
If swallowed	•	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.



Vers 3.0	sion	Revision Date: 08/15/2023	-	0S Number: 0000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
	Most important symptoms and effects, both acute and delayed		:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficu- ties if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeat exposure if inhaled.		
	Notes t	o physician	:	Treat symptomati	cally.	
SEC	TION 5	. FIRE-FIGHTING ME	ASU	IRES		
	Suitabl	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (C	CO2)	
	Unsuita media	able extinguishing	:	water jet		
	Hazard ucts	lous combustion prod-	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black		
	Further	information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ated extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.	
		l protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.



Versio 3.0	n Revision Date: 08/15/2023		OS Number: 0000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
SECTI	ON 7. HANDLING AND ST	OR	AGE	
	dvice on protection against e and explosion	:	Normal measures	for preventive fire protection.
A	dvice on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. Provide sufficient Dispose of rinse w regulations. Persons susceptil allergies, chronic	apors/dust. obtain special instructions before use.
C	onditions for safe storage	:	place. Observe label pre	ions / working materials must comply with
	urther information on stor- ge conditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.
	ecommended storage tem- erature	:	32 - 95 °F / 0 - 35	°C
	urther information on stor- ge stability	:	PROTECT FROM	1 FREEZING.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

	-			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Isocyanic acid, polymeth- ylenepolyphenylene ester (P- MDI)	9016-87-9	C	0.02 ppm 0.2 mg/m3	OSHA Z-1
		С	0.02 ppm 0.2 mg/m3	OSHA P0
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		C	0.02 ppm 0.2 mg/m3	NIOSH REL
Diphenylmethane-4,4'- diisocyanate (MDI)	101-68-8	TWA	0.005 ppm	ACGIH



sion	Revision Date: 08/15/2023	SDS Number: 000000256201		f last issue: 07/28/202 f first issue: 01/03/202		
			С	0.02 ppm 0.2 mg/m3	OSHA Z-	
			С	0.02 ppm 0.2 mg/m3	OSHA PO	
			TWA	0.005 ppm 0.05 mg/m3	NIOSH R	
			С	0.02 ppm 0.2 mg/m3	NIOSH R	
triethy	yl phosphate	78-40-0	TWA	7.45 mg/m3	US WEE	
	nylmethane-2,4'- cyanate	5873-54-1	С	0.02 ppm 0.2 mg/m3	OSHA Z-	
	•		С	0.02 ppm 0.2 mg/m3	OSHA P	
			TWA	0.005 ppm 0.05 mg/m3	NIOSH R	
			С	0.02 ppm 0.2 mg/m3	NIOSH R	
Engir	neering measures	: Ensure adeo	quate ventilati			
Hand	protection	change out	schedules are	e in place.		
Re	emarks			tive gloves. Manufactu		
Eye p	protection	: Wear safety	glasses with	side shields or goggle	s.	
Skin a	and body protection	: Body protec and exposur		chosen based on level	of activity	
Prote	ctive measures	Avoid conta Avoid expos Handle in ac and safety p	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			
Hygie	ene measures	Hands and/ the end of th At the end o care agents Gloves mus	or face should be shift. f the shift the applied. t be inspected	Irink or smoke. I be washed before bro skin should be cleane d regularly and prior to pinhole leaks).	d and skin-	



	Revision Date: 8/15/2023		S Number: 0000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
SECTION 9. P	HYSICAL AND CHI	ЕМІС		3
Appearan	ice	:	liquid	
Color		:	dark brown	
Odor		:	aromatic	
Odor Thre	eshold	:	not determined	
pН		:	substance/mixtur	e reacts with water
Melting po	oint	:	No data available	9
boiling ter	nperature	:	626 °F / 330 °C (1,013 hPa)	
Flash poir	nt	:	> 392 °F / > 200	°C
			Method: Flashpo flashpoint.	int test using closed cup, determination of
Evaporati	on rate	:	not determined	
Flammabi	ility (liquids)	:	Not classified as Method: derived	a flammability hazard from flash point
Upper exp flammabil	olosion limit / Upper ity limit	:	No data available)
	Lower explosion limit / Lower flammability limit		No data available)
Vapor pre	essure	:	< 0.01 hPa (77 °I	= / 25 °C)
Relative v	apor density	:	8.5 (68 °F / 20 °C	2)
Relative c	Relative density		1.4 (68 °F / 20 °C	2)
Density	Density		approx. 1.25 g/cr	n3 (68 °F / 20 °C)
Bulk dens	sity	:	Not applicable	
	Solubility(ies) Water solubility		hydrolyzes	
Solubi	lity in other solvents	:	No data available	9
Partition of octanol/w	coefficient: n- ater	:	not applicable for	mixtures
Autoignitio	on temperature	:	No data available	9

SAFETY DATA SHEET



MasterRoc MP 367 Foam PART B

Version 3.0	Revision Date: 08/15/2023		S Number: 0000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
Decomposition temperature		:	No decompositic scribed/indicated	on if stored and handled as pre- I.	
	Viscosity Viscosity, dynamic		170 mPa.s		
Vi	Viscosity, kinematic		: No data available		
Explo	Explosive properties		: Not explosive		
Oxidi	Oxidizing properties		Based on its structural properties the product is not classifi as oxidizing.		
Subli	mation point	:	No data available	e	
Mole	cular weight	:	Not applicable		
Meta	l corrosion rate	:	No corrosive effe	ect on metal.	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if inhaled. Product: Acute inhalation toxicity : ATE: 2.0 mg/l Remarks: Determined for mist

SAFETY DATA SHEET



	Revision Date: 08/15/2023	-	DS Number: 00000256201	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
-	corrosion/irritation			
	es skin irritation.			
	ous eye damage/eye ir		ion	
	es serious eye irritation iratory or skin sensiti		n	
-	-	zatic	/11	
	sensitization cause an allergic skin re	eactio	on.	
-	iratory sensitization cause allergy or asthma	a sym	nptoms or breath	ning difficulties if inhaled.
	n cell mutagenicity lassified based on avai	lable	information.	
	i nogenicity lassified based on avail	lable	information.	
-	oductive toxicity lassified based on avail	lable	information.	
STOT	Γ-single exposure			
May c	cause respiratory irritati	on.		
STOT	F -repeated exposure			
•		ns thr	ough prolonged	or repeated exposure if inhaled.
-	ration toxicity			
Not cl	lassified based on avail	lable	information.	
E				
Furth	er information			
Produ	uct:			
	uct:	:	The product ha	
Produ Rema	uct:	: FORI	The product han gy have been components.	are not known or expected under normal use. as not been tested. The statements on toxicolo derived from the properties of the individual
Produ Rema	<u>uct:</u> arks	: FORI	The product han gy have been components.	as not been tested. The statements on toxicolo
Produ Rema	uct: arks 12. ECOLOGICAL INF oxicity	: FORI	The product han gy have been components.	as not been tested. The statements on toxicolo
Produ Rema CTION Ecoto Produ	uct: arks 12. ECOLOGICAL INF oxicity		The product han gy have been components.	as not been tested. The statements on toxicolo
Produ Rema CTION Ecoto Produ Ecoto	uct: arks 12. ECOLOGICAL INF oxicity uct:		The product ha gy have been components.	as not been tested. The statements on toxicolo
Produ Rema CTION Ecoto Produ Ecoto Acute	uct: arks 12. ECOLOGICAL INF oxicity uct: oxicology Assessmen		The product ha gy have been components. MATION	as not been tested. The statements on toxicolo derived from the properties of the individual
Produ Rema CTION Ecoto Produ Ecoto Acute Chror	uct: arks 12. ECOLOGICAL INF oxicity uct: oxicology Assessmen a aquatic toxicity	nt :	The product ha gy have been components. MATION	as not been tested. The statements on toxicolo derived from the properties of the individual
Produ Rema CTION Ecoto Produ Ecoto Acute Chror	uct: arks 12. ECOLOGICAL INF oxicity uct: oxicology Assessmen a aquatic toxicity nic aquatic toxicity stence and degradabi	nt :	The product ha gy have been components. MATION	as not been tested. The statements on toxicolo derived from the properties of the individual
Produ Rema CTION Ecoto Produ Ecoto Acute Chror Persi Produ	uct: arks 12. ECOLOGICAL INF oxicity uct: oxicology Assessmen a aquatic toxicity nic aquatic toxicity stence and degradabi	nt :	The product ha gy have been components. MATION	as not been tested. The statements on toxicolo derived from the properties of the individual as no known ecotoxicological effects. as no known ecotoxicological effects.



Version 3.0	Revision Date: 08/15/2023	SDS Numb 000000256		st issue: 07/28/2023 st issue: 01/03/2023
		Biodeg Exposu	Inder test conditions dation: < 10 % e time: 28 d MITI Test (II), inhere	no biodegradation observed. nt.
	cumulative potential ta available			
	Mobility in soil No data available			
Other	adverse effects			
Produ Additi mation	onal ecological infor-	The pro	luct has not been tes ave been derived fro	o the environment without control. ted. The statements on ecotoxi- m the properties of the individual
	13. DISPOSAL CONSI	DERATIONS		

Disposal methous			
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.	
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.	

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good



Version	Revision Date:	SDS Number:
3.0	08/15/2023	000000256201

Date of last issue: 07/28/2023 Date of first issue: 01/03/2023

SECTION 15. REGULATORY INFORMATION


CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)	
Diphenylmethane-4,4'- diisocyanate (MDI)	101-68-8	5000	15640	
SARA 313 :	: The following components are subject to r tablished by SARA Title III, Section 313:			
	Isocyanic acid, polymethylene- polyphenylene ester (P-MDI)	9016-87-9		
	DiphenyIme- thane-4,4'- diisocyanate (MDI)	101-68-8		
US State Regulations				
Pennsylvania Right To Know				
Isocyanic acid, polymo Diphenylmethane-4,4		e ester (P-MDI)	9016-87-9 101-68-8	
New Jersey Right To Know				
Diphenylmethane-4,4	Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)9016-87-9Diphenylmethane-4,4'-diisocyanate (MDI)101-68-8diphenylmethane-2,4'-diisocyanate5873-54-1			
The ingredients of this produc	are reported in the	following invento	ories:	
TSCA :	All substances liste	d as active on the	TSCA inventory	
DSL :	All components of t	his product are on	the Canadian DSL	

SECTION 16. OTHER INFORMATION

Further information





USHA FU	values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA P0 / C	: Ceiling limit
OSHA Z-1 / C	: Ceiling
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
3.0	08/15/2023	00000256201	Date of first issue: 01/03/2023

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN