

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version 2.0 Revision Date: 08/15/2023 SDS Number: 000000736056 Date of last issue: 07/28/2023
Date of first issue: 01/24/2023

SECTION 1. IDENTIFICATION

Product name : MasterRoc MP 368 PART B
Product code : 000000000050459477 000000000050459477

Manufacturer or supplier's details

Company name of supplier : Master Builders-Admixtures US,LLC
Address : 23700 Chagrin Blvd
Beachwood OH 44122
Emergency telephone : ChemTel: +1-813-248-0585
National Emergency Telephone Number : USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals
Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION


GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4
Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 2A
Respiratory sensitization : Category 1
Skin sensitization : Category 1
Skin sensitization : Category 1B
Specific target organ toxicity - single exposure : Category 3
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Olfactory organs)

GHS label elements

MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

- Hazard pictograms : 
- Signal Word : Danger
- Hazard Statements : H319 Causes serious eye irritation.
 H315 Causes skin irritation.
 H332 Harmful if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H373 May cause damage to organs through prolonged or repeated exposure.
- Precautionary Statements : **Prevention:**
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P271 Use only outdoors or in a well-ventilated area.
 P260 Do not breathe dusts or mists.
 P284 In case of inadequate ventilation wear respiratory protection.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P264 Wash face, hands and any exposed skin thoroughly after handling.
- Response:**
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P314 Get medical advice/ attention if you feel unwell.
 P302 + P352 IF ON SKIN: Wash with plenty of water.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
- Storage:**
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
- Disposal:**
 P501 Dispose of contents/container to appropriate hazardous

MasterRoc MP 368 PART B

Version 2.0 Revision Date: 08/15/2023 SDS Number: 000000736056 Date of last issue: 07/28/2023
 Date of first issue: 01/24/2023

waste collection point.

Other hazards

Contains isocyanates. Inhalation of isocyanate mists or vapors may cause respiratory irritation, breathlessness, chest discomfort and reduced pulmonary function. Overexposure well above the PEL may result in bronchitis, bronchial spasms and pulmonary edema. Animal tests indicate that skin contact may play a role in causing respiratory sensitization.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
 Chemical nature : No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diphenylmethane-4,4'-diisocyanate (MDI)	101-68-8	>= 25 - < 50
Diphenylmethandiisocyanat, isomeres and homologues (P-MDI)	9016-87-9	>= 25 - < 50
2-(2-butoxyethoxy)ethyl acetate	124-17-4	>= 7 - < 10
diphenylmethane-2,4'-diisocyanate	5873-54-1	>= 1 - < 3
Polymethylene polyphenylisocyanate, polyethylene glycol polymer	57636-09-6	>= 0.3 - < 1

SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety. Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

If inhaled : Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

In case of skin contact : Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical advice.

If swallowed : Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention.

Most important symptoms : Causes skin irritation.

MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

and effects, both acute and delayed

May cause an allergic skin reaction.
 Causes serious eye irritation.
 Harmful if inhaled.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 May cause damage to organs through prolonged or repeated exposure.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam
 Dry chemical
 Carbon dioxide (CO₂)
 Water spray in large fire situations

Unsuitable extinguishing media : water jet

Specific hazards during fire fighting : Reacts with water, with formation of carbon dioxide.

Hazardous combustion products : Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.
 harmful vapours
 isocyanate
 hydrogen cyanide

Further information : Use water spray to cool unopened containers.
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus and chemical-protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 Use breathing apparatus if exposed to vapours/dust/aerosol.
 Wear eye/face protection.
 Use personal protective clothing.
 Handle in accordance with good building materials hygiene and safety practice.
 Information regarding personal protective measures, see section 8.

Environmental precautions : Contain contaminated water/firefighting water.
 Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Contain spillage.
 Absorb isocyanate with suitable absorbent material (see § 40 CFR, sections 260, 264 and 265 for further information).

MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

Shovel into open container.
 Spill area can be decontaminated with the following recommended decontamination solution:
 Mixture of 90 % water, 5-8 % household ammonia, 2-5 % detergent.
 Wash down spill area with decontamination solution.
 Allow solution to stand for at least 10 minutes.
 Pick up with suitable absorbent material.
 Place into appropriately labeled waste containers.
 Do not make container pressure tight.
 Move container to a well-ventilated area (outside).
 Allow to stand for at least 48 hours to allow escape of evolved carbon dioxide.
 Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Product is not explosive.
- Normal measures for preventive fire protection.
- Advice on safe handling : Ensure thorough ventilation of stores and work areas.
 Avoid aerosol formation.
 Avoid contact with the skin, eyes and clothing.
 Avoid inhalation of dusts/mists/vapours.
 When handling heated product, vapours of the product should be ventilated, and respiratory protection used.
 Wear respiratory protection when spraying.
 Clean up contamination as soon as they occur.
 Products freshly manufactured from isocyanates can contain incompletely reacted isocyanates and other dangerous substances.
 Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
 If bulging of drum occurs, transfer to well ventilated area, puncture to relieve pressure, open vent and let stand for 48 hours before resealing.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.
 Protect from direct sunlight.
 Protect against moisture.
 Formation of CO₂ and build up of pressure possible.
 Danger of bursting when sealed gastight.

MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

Materials to avoid : Observe TRGS 509/510 storage rules.

Further information on storage stability : No data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

Engineering measures : No applicable information available.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.
 Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.
 For emergency or non-routine, high exposure situations, including confined space entry, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection

Remarks : Chemical resistant protective gloves should be worn to prevent all skin contact. Suitable materials may include chloroprene rubber (Neoprene) nitrile rubber (Buna N) chlorinated polyethylene polyvinylchloride (Pylox) butyl rubber depending upon conditions of use. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Wear safety glasses with side shields or goggles.
 Wear face shield if splashing hazard exists.

Skin and body protection : Cover as much of the exposed skin as possible to prevent all skin contact.
 Suitable materials may include saran-coated material
 Chemical resistant protective boots

Protective measures : Do not breathe vapour/aerosol/spray mists.
 Observe the appropriate PEL or TLV value.
 Wear protective clothing as necessary to prevent contact.
 With products freshly manufactured from isocyanates body protection and chemical resistant protective gloves is recommended.
 Eye wash fountains and safety showers must be easily accessible.

Hygiene measures : When using, do not eat, drink or smoke.
 Take off immediately all contaminated clothing.
 Hands and/or face should be washed before breaks and at

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000736056	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
----------------	------------------------------	-----------------------------	---

the end of the shift.
At the end of the shift the skin should be cleaned and skin-care agents applied.
Gloves must be inspected regularly and prior to each use.
Replace if necessary (e.g. pinhole leaks).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	brown
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	substance/mixture reacts with water
Melting point	:	No applicable information available.
Boiling point	:	not determined
Flash point	:	392 °F / 200 °C
Evaporation rate	:	No applicable information available.
Flammability (liquids)	:	Not classified as a flammability hazard
Self-ignition	:	not self-igniting
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No applicable information available.
Relative vapor density	:	No applicable information available.
Relative density	:	No applicable information available.
Density	:	1.16 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No applicable information available.

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

Partition coefficient: n-octanol/water	:	No applicable information available.
Autoignition temperature	:	not determined
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity	:	
Viscosity, dynamic	:	115 mPa.s (73 °F / 23 °C)
Viscosity, kinematic	:	No applicable information available.
Explosive properties	:	Not explosive
Oxidizing properties	:	not determined
Sublimation point	:	No applicable information available.
Molecular weight	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated. In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO ₂) Carbon monoxide Nitrogen oxides (NO _x) hydrogen cyanide Isocyanates

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

MasterRoc MP 368 PART B

Version 2.0 Revision Date: 08/15/2023 SDS Number: 000000736056 Date of last issue: 07/28/2023
Date of first issue: 01/24/2023

Aspiration toxicity**Product:**

Study scientifically not justified.

Further information**Product:**

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability**Product:**

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available.
Discharge into the environment must be avoided.

Components:**2-(2-butoxyethoxy)ethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 1.7 (73 °F / 23 °C)
pH: 6.4
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : Do not discharge product into the environment without control.

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version 2.0 Revision Date: 08/15/2023 SDS Number: 000000736056 Date of last issue: 07/28/2023
Date of first issue: 01/24/2023

mation The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Components:

2-(2-butoxyethoxy)ethyl acetate:

Additional ecological information : Do not release untreated into natural waters.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000736056	Date of last issue: 07/28/2023 Date of first issue: 01/24/2023
----------------	------------------------------	-----------------------------	---

Diphenylmethane-4,4'-diisocyanate (MDI) 101-68-8

2-(2-butoxyethoxy)ethyl acetate 124-17-4

Diphenylmethandiisocyanat, isomeres and homologues (P-MDI) 9016-87-9

US State Regulations

Pennsylvania Right To Know

Diphenylmethane-4,4'-diisocyanate (MDI)	101-68-8
2-(2-butoxyethoxy)ethyl acetate	124-17-4

New Jersey Right To Know

Diphenylmethane-4,4'-diisocyanate (MDI)	101-68-8
Diphenylmethandiisocyanat, isomeres and homologues (P-MDI)	9016-87-9

California Prop. 65

WARNING: This product can expose you to chemicals including propylene oxide, which is/are known to the State of California to cause cancer, and methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION


Further information

SAFETY DATA SHEET

MasterRoc MP 368 PART B

Version 2.0 Revision Date: 08/15/2023 SDS Number: 000000736056 Date of last issue: 07/28/2023
Date of first issue: 01/24/2023

NFPA 704:



HMIS® IV:

HEALTH	<input type="text"/>	<input type="text"/>
FLAMMABILITY	<input type="text"/>	
PHYSICAL HAZARD	<input type="text"/>	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET



MasterRoc MP 368 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000736056	Date of first issue: 01/24/2023

Revision Date : 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN