according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/08/2023

 2.2
 05/01/2024
 000000519887
 Date of first issue: 01/09/2023

## **SECTION 1. IDENTIFICATION**

Product name : MasterRoc MP 300 Hardener

Product code : 00000000050626522 00000000050626522

Manufacturer or supplier's details

Company name of supplier : Master Builders-Admixtures US,LLC

Address : 23700 Chagrin Blvd

Beachwood OH 44122

Emergency telephone : ChemTel: +1-813-248-0585

National Emergency Tele-

phone Number

USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids : Category 3

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

Category 3

Short-term (acute) aquatic

hazard

Category 3

#### **GHS** label elements

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

Hazard pictograms







Signal Word : Danger

Hazard Statements : H272 May intensify fire; oxidizer.

H319 Causes serious eye irritation.

H315 Causes skin irritation. H302 Harmful if swallowed.

H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

#### Precautionary Statements

#### Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P271 Use only outdoors or in a well-ventilated area.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P284 In case of inadequate ventilation wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P264 Wash face, hands and any exposed skin thoroughly after handling.

P220 Keep away from clothing and other combustible materials. P221 Take any precaution to avoid mixing with combustibles.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

P362 + P364 Take off contaminated clothing and wash it before

P337 + P313 If eye irritation persists: Get medical advice/ attention

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to appropriate hazardous

waste collection point.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture :

Mixture

Chemical nature : No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Disodium peroxodisulphate	7775-27-1	>= 90 - <= 100

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety.

Immediately remove contaminated clothing.

If inhaled : After inhalation of dust.

Keep patient calm, remove to fresh air, seek medical atten-

tion.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

Keep eye wide open while rinsing. Remove contact lenses, if present.

Seek medical advice.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.
Causes skin irritation.

May cause an allergic skin reaction.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 05/01/2024 000000519887 Date of first issue: 01/09/2023 2.2

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

Notes to physician Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Foam

> Water spray Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

water jet

Hazardous combustion prod-

ucts

harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides

Further information The degree of risk is governed by the burning substance and

the fire conditions.

If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Do not breathe dust. Wear eye/face protection.

Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

**Environmental precautions** Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Pick up with suitable appliance and dispose of. Dispose of contaminated material as prescribed.

Avoid raising dust.

#### **SECTION 7. HANDLING AND STORAGE**

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/08/2023

 2.2
 05/01/2024
 000000519887
 Date of first issue: 01/09/2023

Advice on protection against

fire and explosion

Avoid dust formation.

Dust can form an explosive mixture with air.

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Keep away from sources of ignition - No smoking.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight.

Materials to avoid : Observe TRGS 509/510 storage rules.

Do not store near acids.

Further information on stor-

age stability

No data available

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Disodium peroxodisulphate	7775-27-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH

**Engineering measures** : No applicable information available.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

Personal protective equipment

Respiratory protection : Wear a NIOSH approved (or equivalent) particulate respirator

if ventilation is inadequate to control dust.

Hand protection

Remarks : Chemical resistant protective gloves. Manufacturer's direc-

tions for use should be observed because of great diversity of

types.

Eye protection : Safety glasses with side-shields.

Skin and body protection : Body protection must be chosen depending on activity and

possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective measures : Avoid inhalation of dusts.

Wearing of closed work clothing is required additionally to the

stated personal protection equipment.

Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene

and safety practice.

Hygiene measures : When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at

the end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : crystalline

Color : white

Odor : odorless

Odor Threshold : No data available

pH : approx. 4.3 (68 °F / 20 °C)

Concentration: 10 g/l

Melting point :  $> 356 \, ^{\circ}\text{F} \, / > 180 \, ^{\circ}\text{C}$ 

Boiling point : Not applicable

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

Flash point : Not applicable

Evaporation rate : The product is a non-volatile solid.

Flammability (solid, gas) : not flammable

Self-ignition : not self-igniting

Upper explosion limit / Upper

flammability limit

For solids not relevant for classification and labelling.

Lower explosion limit / Lower

flammability limit

For solids not relevant for classification and labelling.

Vapor pressure : Not applicable

Relative vapor density : The product is a non-volatile solid.

Relative density : No applicable information available.

Density : 1.2 g/cm3 (68 °F / 20 °C)

Bulk density : 1,150 kg/m3 (68 °F / 20 °C)

Solubility(ies)

Water solubility :  $556 \text{ g/l} (68 \degree \text{F} / 20 \degree \text{C})$ 

Solubility in other solvents : No applicable information available.

Partition coefficient: n-

octanol/water

log Pow: -3.02 (77 °F / 25 °C) Method: other (calculated)

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : No applicable information available.

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 3.

Self-heating substances : No data available

Sublimation point : No applicable information available.

Molecular weight : No data available

Metal corrosion rate : No corrosive effect on metal.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Contact with combustible material may cause fire.

No decomposition if stored and applied as directed.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Acids

Bases

Reducing agents
Organic Substances

metal

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity : ATE: 943 mg/kg

Acute inhalation toxicity : Remarks: No applicable information available.

Acute dermal toxicity : Remarks: No applicable information available.

# Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitization

## Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

## Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

## **Further information**

## **Product:**

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### **Product:**

# **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

# Persistence and degradability

No data available

#### Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: Because of the n-octanol/water distribution coeffi-

cient (log Pow) accumulation in organisms is not to be ex-

pected.

## Mobility in soil

No data available

#### Other adverse effects

# **Product:**

Additional ecological infor-

mation

: There is a high probability that the product is not acutely

harmful to aquatic organisms.

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

UN number : UN 1505

Proper shipping name : SODIUM PERSULPHATE

Class : 5.1
Packing group : III
Labels : 5.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1505

Proper shipping name : Sodium persulphate

Class : 5.1
Packing group : III
Labels : Oxidizer
Packing instruction (cargo : 563

aircraft)

Packing instruction (passen: :

ger aircraft)

**IMDG-Code** 

UN number : UN 1505

Proper shipping name : SODIUM PERSULPHATE

559

Class : 5.1
Packing group : III
Labels : 5.1
EmS Code : F-A, S-Q
Marine pollutant : no

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 1505

Proper shipping name : Sodium persulfate

Class : 5.1 Packing group : III

Labels : OXIDIZER ERG Code : 140

ERG Code : 140 Marine pollutant : no

## **SECTION 15. REGULATORY INFORMATION**

## The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

TSCA : All chemical substances in this product are either listed as


active on the TSCA Inventory or are in compliance with a

TSCA Inventory exemption.

#### **SECTION 16. OTHER INFORMATION**


## **Further information**

# NFPA 704:



Special hazard

# HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

according to the OSHA Hazard Communication Standard



# MasterRoc MP 300 Hardener

Version Revision Date: SDS Number: Date of last issue: 09/08/2023 2.2 05/01/2024 000000519887 Date of first issue: 01/09/2023

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/01/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN