MasterRoc MP 900



Version 2.0	Revision Date: 08/15/2023		DS Number: 00000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023				
SECTION	SECTION 1. IDENTIFICATION							
Prod	Product name		MasterRoc MP 900					
Prod	luct code	:	0000000005070	1524 000000000050701524				
Man	ufacturer or supplier's	deta	ails					
Com	Company name of supplier		Master Builders-A	dmixtures US,LLC				
Addr	Address		23700 Chagrin Blvd Beachwood OH 44122					
Eme	rgency telephone	:	ChemTel: +1-813-248-0585					
	National Emergency Tele- phone Number		USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420				
Reco	Recommended use of the o		nical and restriction	ons on use				
Reco	ommended use	:	Product for const	ruction chemicals				
Restrictions on use		:	Reserved for indu	strial and professional use.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Skin corrosion/irritation	:	Category 2		
Serious eye damage/eye irritation	:	Category 1		
Specific target organ toxicity - single exposure	:	Category 3		
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lung)		
GHS label elements				
Hazard pictograms	:			
Signal Word	:	Danger		
Hazard Statements	:	H318 Causes serious eye damage. H315 Causes skin irritation. H335 May cause respiratory irritation.		



ersion .0	Revision Date: 08/15/2023	SDS Number: 000000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
		H372 Causes of repeated expos	lamage to organs (Lung) through prolonged or sure if inhaled.
Preca	utionary Statements	face protection. P260 Do not br P270 Do not ea	tective gloves/ protective clothing/ eye protectio eathe dusts or mists. at, drink or smoke when using this product. ee, hands and any exposed skin thoroughly after
		for several minute to do. Continue P304 + P340 IF keep comfortate P302 + P352 IF P332 + P313 If tion. P362 + P364 T reuse.	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and eas rinsing. FINHALED: Remove person to fresh air and ble for breathing. FON SKIN: Wash with plenty of water. skin irritation occurs: Get medical advice/ atten take off contaminated clothing and wash it befor ely call a POISON CENTER or doctor/ physicia
		Storage: P403 + P233 S tightly closed. P405 Store loc	tore in a well-ventilated place. Keep container ked up.
		Disposal: P501 Dispose o waste collection	of contents/container to appropriate hazardous

In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	modified cement mortar

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 75 - <= 100
calcium oxide	1305-78-8	>= 0 - < 3
calcium carbonate	471-34-1	>= 0 - < 3
magnesium oxide	1309-48-4	>= 0 - < 3
Calcium sulphate	7778-18-9	>= 0 - < 5

SECTION 4. FIRST AID MEASURES

MasterRoc MP 900



Version 2.0	Revision Date: 08/15/2023		Number: 00251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
Ge	neral advice	C S a	nce.		
lf ir	nhaled	K If	fter inhalation of eep patient calm difficulties occur eek medical atte	, remove to fresh air.	
In c	In case of skin contact		After contact with skin, wash immediately with plenty of wate and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.		
In c	In case of eye contact		In case of contact, immediately flush eyes with plenty of v for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses. Seek medical advice. If eye irritation persists, consult a specialist.		
lf s	wallowed	s D	 Immediately rinse mouth and then drink 200-300 ml of w seek medical attention. Do not induce vomiting unless told to by a poison contro ter or doctor. 		
and	st important symptoms d effects, both acute and ayed	: N	lone known.		
No	tes to physician	: Т	reat symptomatio	cally.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



2.0 08/15/2023 000000251481 Date of first issue: 01/03/2023	Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
---	----------------	---------------------------	-----------------------------	---

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Avoid contact with skin and eyes. Do not inhale dusts. Use personal protective clothing. Wear appropriate respiratory protection. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Keep in suitable, closed containers for disposal. Rinse with plenty of water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling :	 Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- : age conditions	Containers should be stored tightly sealed in a dry place.
Materials to avoid :	Keep away from water. Segregate from metals. Segregate from acids and bases. Segregate from oxidants. Segregate from foods and animal feeds.
Further information on stor- : age stability	No data available



Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000251481	Date of first issue: 01/03/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
calcium oxide	1305-78-8	TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
magnesium oxide	1309-48-4	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (fume, total particu- late)	15 mg/m3	OSHA Z-1
		TWA (Fume - total particu- late)	10 mg/m3	OSHA P0
Calcium sulphate	7778-18-9	TWA (Res- pirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
		TWA (Inhal- able particu- late matter)	10 mg/m3 (Calcium)	ACGIH
Cement, portland, chemicals	65997-15-1	TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
		TWA (Res- pirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Total	10 mg/m3	OSHA P0



MasterRoc MP 900

Odor

Version 2.0	Revision Date: 08/15/2023		OS Number: 0000251481		t issue: 07/28/2023 t issue: 01/03/2023		
		1		dust)			
				TWA (respir- able dust fraction)	5 mg/m3	OSHA P0	
				TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3	
Engii	neering measures	:	Provide local exhaust ventilation to maintain recommended P.E.L.		mended		
Perso	onal protective equipm	nent					
Resp	Respiratory protection :		may be excee	Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) particulate respirator.			
Hand	protection						
Re	emarks	:			gloves. Manufacturer red because of great		
Eye p	protection	:	Tightly fitting safety goggles (chemical goggles).				
Skin a	and body protection	:	Body protection		en based on level of	activity	
Prote	ctive measures	:	Avoid contact In order to pre working clothe	event contaminates and working good	ves and clothing. tion while handling, c gloves should be used od building materials	d.	
Hygie	ene measures	:	When using d		k. Id at the end of worko	lay.	
SECTION	9. PHYSICAL AND CH	EMI	CAL PROPER	TIES			
Appe	arance	:	powder				
Color		:	gray				

Odor Threshold	: No data available
рН	: 12 - 13 (68 °F / 20 °C) The products resulting from hydrolysis react strongly alkaline.
Melting point	: No applicable information available.

: characteristic

MasterRoc MP 900



Versi 2.0	ion	Revision Date: 08/15/2023	-	S Number: 0000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
	boiling	temperature	:	No data available	
	Flash p	ooint	:	Not applicable	
	Evapor	ation rate	:	The product is a	non-volatile solid.
		explosion limit / Upper bility limit	:	knowledge of its	experience with this product and our composition we do not expect any hazard as act is used appropriately and in accordance use.
		explosion limit / Lower bility limit	:	knowledge of its	experience with this product and our composition we do not expect any hazard as act is used appropriately and in accordance use.
	Vapor p	pressure	:	No data available	9
	Relativ	e vapor density	:	The product is a	non-volatile solid.
	Relativ	e density	:	No applicable inf	ormation available.
	Density	/	:	3.05 g/cm3	
	Bulk de	ensity	:	3.05 g/cm3	
	Solubili Wat	ty(ies) er solubility	:	slightly soluble	
	Solu	ubility in other solvents	:	slightly soluble	
	Partitio octanol	n coefficient: n- /water	:	No data available	9
	Autoigr	nition temperature	:	Not applicable	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, kinematic	:	No applicable inf	ormation available.
	Explosi	ve properties	:	Not explosive Not explosive	
	Oxidiziı	ng properties	:	not fire-propagat	ing
	Self-he	ating substances	:	No data available	
	Sublima	ation point	:	No applicable inf	ormation available.
	Molecu	lar weight	:	Not applicable	

MasterRoc MP 900



Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Metal corrosion rate		:	No corrosive effe	ect on metal.	
SEC	TION 1	0. STABILITY AND RE	EAC	ΤΙVITY	
	Reactivity		:	No decompositio	n if stored and applied as directed.
	Chemi	cal stability	:	No decompositio	n if stored and applied as directed.
	Possib tions	ility of hazardous reac-	:	No decompositio	n if stored and applied as directed.
	Conditi	ions to avoid	:	See SDS sectior	7 - Handling and storage.
	Incomp	patible materials	:	Strong bases Strong acids	
	Hazaro produc	lous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.



MasterRoc MP 900

sion	Revision Date: 08/15/2023		0S Number: 0000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
STOT	-single exposure			
May ca	ause respiratory irritation	n.		
STOT	-repeated exposure			
Cause	s damage to organs (Lu	ung)	through prolonge	d or repeated exposure if inhaled.
•	ation toxicity assified based on availa	ble	information.	
Exper	ience with human exp	osu	ire	
<u>Produ</u>	ct:			
Skin c		:		pination with water, repeated or prolonged can cause moderate to severe alkali burns
Furthe	er information			
<u>Produ</u>	<u>ct:</u>			
Remai	rks	:	The product has	e not known or expected under normal use not been tested. The statements on toxico ived from the properties of the individual
Ecoto <u>Produ</u>	-			
	xicology Assessment aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chroni	ic aquatic toxicity	:	This product has	no known ecotoxicological effects.
Persis	stence and degradabili	ity		
Produ	ct:			
Biode	gradability	:	Remarks: Not ap	plicable for inorganic substances.
Bioac				
	cumulative potential			
<u>Produ</u>	-			
	-	:		oduct will not be readily bioavailable due to ad insolubility in water.
Bioaco	ct:	:		
Bioaco	<u>ct:</u> cumulation ty in soil	:		oduct will not be readily bioavailable due to nd insolubility in water.



Version 2.0	Revision Date: 08/15/2023		DS Number: 00000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023	
			the water surface		
Other	adverse effects				
<u>Produ</u>	uct:				
	Additional ecological infor- mation		 There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components. 		
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS				
Dispo	osal methods				
Waste	e from residues	:	cal or used conta	ate ponds, waterways or ditches with chemi- iner. ordance with national, state and local regula-	

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging :	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.
--------------------------	--

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Cement, portland, chemicals Quartz (SiO2)

New Jersey Right To Know

65997-15-1 14808-60-7



MasterRoc MP 900

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
Cement, portland, chemicals			65997-15-1
Califo	ornia Prop. 65		
WAR	NING: This product ca	an expose you to chem	icals including Quartz (SiO2), which is/a

WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:			
TSCA	:	All substances listed as active on the TSCA inventory	
DSL	:	All components of this product are on the Canadian DSL	

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts



VersionRevision Date:2.008/15/2023	SDS Number: 000000251481	Date of last issue: 07/28/2023 Date of first issue: 01/03/2023
ACGIH / TWA NIOSH REL / TWA		eighted average average concentration for up to a 10-hour a 40-hour workweek
OSHA P0 / TWA OSHA Z-1 / TWA OSHA Z-3 / TWA	: 8-hour time we : 8-hour time we : 8-hour time we	ighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN